



山东安茂福五金工具有限公司
AMF TOOLS CO., LTD.

地址：山东省淄博市高新区尚功路3456号B座
Add: No. 3456 Shang Gong Road, High-tech District, Zibo, Shandong, 255000, China
电话 (Tel) : 0086-533-3190668 3190669
传真 (Fax) : 0086-533-3190667
Email : sales@amfinternational.cn
网址 (Website) : www.amftools.com

2025 版



山东安茂福五金工具有限公司
AMF TOOLS CO., LTD.

ISO 9001:2015 CERTIFIED



公司简介

山东安茂福五金工具有限公司专注于专业级建筑手工具的设计，研发和生产20年，是中国第一家镁合金手工具的研发和制造商，通过ISO9001–2015质量体系认证，安茂福公司自2002年开始为国际上大型建筑手工具公司做OEM代工，严格按照美国标准加工生产每一件工具，凭借优质的产品品质，竞争力的价格和迅速的交货，经过20年的发展，产品出口到美国，英国，法国，西班牙，日本，墨西哥，阿根廷等50多个国家和地区。我们在2020年搬入壹万平方米现代化厂房，配有大型自动化数控加工中心，自动化专用加工设备多台，组装流水线，现代化的仓库和物流系统，拥有研发和售后服务团队，随着生产能力的扩大，工具库存的增加，实现所有订单的快速交付，满足客户对迅速交货的需求。

为客户创造价值是我们安茂福公司永恒的目标和追求。

About us

AMF TOOLS Co., Ltd. has been focusing on the designing, R&D and producing of professional construction hand tools for 20 years. We are the first magnesium alloy hand tools manufacturer in China. We are proudly ISO9001-2015 certified. Since 2002, we have been doing OEM for large international construction hand tool companies. We produce and process each tool in strict accordance with American standards. With high-quality products, competitive prices and rapid delivery, after 20 years of development, our products have been exported to more than 50 countries and regions such as the United States, Britain, France, Spain, Japan, Mexico, Argentina, etc. In 2020, we moved into a 10,000 square meters modern producing and sales center, equipped with a large automatic CNC machining center, multiple sets of automatic special processing equipment, assembly lines, modern warehouses and logistics systems, and professional R&D and after-sales service teams. With the expansion of production capacity and the increase of tool inventory, we can deliver all orders rapidly and meet customers' urgent needs.

Creating value for customers is the eternal goal and responsibility of AMF TOOLS.



Index

* Square End Magnesium Bull Float Blades	3
* Square End Magnesium Bull Float Blades+ worm gear bracket	3
* Square End Magnesium Bull Float Blades+ rock & roll bracket	3
* Square End Magnesium Bull Float Blades + universal bracket.....	3
* Square End Magnesium Bull Float Set	4
* 3M Extra wide Magnesium Bull Float	4
* Round End Magnesium Bull Float Blades	4
* Round End Magnesium Bull Float Blades+ worm gear bracket	4
* Round End Magnesium Bull Float Blades+ rock & roll bracket	5
* Round End Magnesium Bull Float Blades + universal bracket	5
* Round End Magnesium Bull Float Set	5
* Magnesium Channel Float Blades	5
* Magnesium Channel Float Blades + wormgear bracket	6
* Magnesium Channel Float Blades + rock& roll bracket	6
* Magnesium Channel Float Blades + universal bracket	6
* Magnesium Channel Float set	6
* Magnesium Dual Edge Channel Float Blades	7
* Magnesium Dual Edge Channel Float Sets	7
* Aluminum Square End Bull Float Blades	8
* Aluminum Square End Bull Float Blades + wormgear bracket	8
* Aluminum Square End Bull Float Blades +rock & roll bracket	8
* Aluminum Square End Bull Float Blades +universal bracket	8
* Aluminum Square End Bull Float Set	9
* Round End Aluminum Bull Float Blades	9
* Round End Aluminum Bull Float Blades +wormgear bracket	9
* Round End Aluminum Bull Float Blades + rock & roll bracket	9
* Round End Aluminum Bull Float Blades + universal bracket	10
* Round End Aluminum Bull Float Set	10
* Economical Aluminum Bull Floats	10
* Manganese Steel Round End Fresno Trowel Blade	10
* Manganese Steel Round End Fresno Trowel Blade +wormgear bracket	11
* Manganese Steel Round End Fresno Trowel Blade +rock & roll bracket	11
* Manganese Steel Round End Fresno Trowel Blade +universal bracket	11
* Manganese Steel Round End Fresno Trowel Blade +universa threaded bracket	11
* Manganese Steel Round End Fresno Trowel Set	12
* Double Time Fresno Trowel Brush	12
* Blue Steel Round End Fresno Trowel Blades	12
* Blue Steel Round End Fresno Trowel Blades+ wormgear bracket	12
* Blue Steel Round End Fresno Trowel Blades + rock & roll bracket	13
* Blue Steel Round End Fresno Trowel Blades + universal bracket	13
* Blue Steel Round End Fresno Trowel Set	13
* Handicap Ramp Bull Float	13
* Ramp Bull Float for Cattle Farm Pavement	14
* Plastic Bull Float Blades	14
* Plastic Bull Float Set	14
* Plastic Handle Float	15
* wormgear bracket	15


* Rock & Roll Bracket	15	* Concrete Aluminum Placer	28
* Cable Adjustable Bull Float Bracket	15	* Extra wide Aluminum Placer	28
* Chain Adjustbale Bull Float Bracket	15	* Heavy Duty Aluminum Toothed Rake	28
* Universal Threaded Handle Bull Float Bracket	15	* Heavy Duty Steel Texas Placer	28
* Universal Bull Float Bracket	15	* Anodized Gold /Blue/Red Concrete Aluminum Placer	29
* Aluminum Swaged Handle	16	* Dual face steel rake	29
* Aluminum Threaded Handle	16	* Dual Face Lightweight Aluminum Rake	29
* Aluminum Straightedges	16	* Heavy Duty Aluminum Texasa Placer	29
* Magnesium Straightedges(vertical)	16	* Aluminum Placer (Blunt)	30
* Magnesium Horizontal Straightedges	17	* Magnesium Asphat Placer	30
* Magnesium Screed	17	* Scraper	30
* 6m Magnesium Bump Cutter	17	* Steel Placer	30
* Hand Tamper	18	* Spiked Shoes	31
* Aluminium Dapple Bar Twin Handle	18	* Floor Dedicated Aluminum Shoes	31
* Magnesium Screed Bar	18	* Floor Dedicated Magnesium Shoes	31
* Button Handle Adaptor	19	* Plastic Bubble Roller	31
* Magnesium Screed	19	* Porcupine Roller	31
* Magnesium Handle Float	19	* Concrete Broom	32
* Magnesium Round End Handle Float	20	* Aluminum Backed Concrete Broom	32
* Magnesium Tapered Darby	20	* Flagged Bristle Broom	32
* Magnesium Darby(Standard)	20	* Flat Wire Texture Broom	32
* High Carbon Steel Square End Trowel	21	* Steel Mortar Pan with Chained Stand	33
* High Carbon Steel Round End Trowel	21	* Steel Mortar Tub	33
* High Carbon Steel Trowel (Round / Square ends)	21	* Forklift Mortar Tub	33
* High Carbon Steel Trowel with tooth	21	* Adjustbale Brick Tong	33
* Pointed plastering Trowel	22	* Brick Jointer	33
* Stainless Steel Corner Trowel	22	* Bearing Wheel Raker	34
* High Carbon Steel Margin Trowel	22	* Self-leveling Plain Scraper Knife	34
* High Carbon Steel Brick Trowel	22	* Self-leveling Plain Scraper Knife with tooth	34
* Notched Margin Trowel	23	* Floor/Wall Round -Angle Scraper Knife	35
* Stainless Steel Angle Float	23	* Self-leveling Scraper with tooth	35
* Invert Groover	23	* Floor Wiper	35
* Blue Steel Step Trowel	23	* Water Scraper	35
* High Carbon Steel Corner Trowel	23	* Knee Pad	36-37
* Resin Float	24	* Knee Board	38
* Polyurethane Float	24	* Kneeler Board	38
* Aluminum Hawk	24	* Aluminum Scoop Shovel	38
* Stainless Steel Concrete Hand Groover	24	* Urethane Mats	39
* Stainless Steel Walking Groover	25	* Color Road Tamper	40
* Flying Groover	25	* Polyurethane Tamper	40
* Blue Steel Concret Hand Edger	25	* Heavy Duty Scraper	40
* Blue Steel Walking Edger	25	* Tar Pots	40
* Aluminum Scraping Straightedge	26	* Self-level Mortar Mixer	41
* Aluminum Scraping Straightedge with tooth	26	* Mixer /Double Head Mixer	41
* Magnesium H-Shaped Scraping Straightedge	26	* Plaster Scarifier	42
* Stilts	26	* Forged Brick Trowel	42
* Rubbing Brick	27	* Ornamental Tools	42
* Grout Bag	27	* Stucco Dash Brush	42
* Floor Dedicated Sle Pushing Rake	27	* High Carbon Steel Trowel- Round End	42
* Rolling Tamper	27	* Levels	43

镁合金平头大抹子叶片

Square End Magnesium Bull Float Blades

- * 使用优质镁合金材料生产
- Use the finest magnesium alloy produced

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
7048	609mm(24")×203mm (8")	7045	1372mm(54")×203mm (8")
7042	915mm(36")×203mm (8")	7041	1524mm(60")×203mm (8")
7043	1067mm(42")×203mm (8")	7047	1829mm(72")×203mm (8")
7044	1143mm(45")×203mm (8")	7046	3000mm(118")×203mm (8")
7040	1220mm(48")×203mm (8")		




镁合金平头大抹子配蜗轮支架

Square End Magnesium Bull Float with Wormgear Bracket

- * 配蜗轮支架 #8801
- Includes Wormgear Bracket #8801

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
7469	609mm(24")×203mm (8")	7460	1372mm(54")×203mm (8")
7436	915mm(36")×203mm (8")	7428	1524mm(60")×203mm (8")
7444	1067mm(42")×203mm (8")	7470	1829mm(72")×203mm (8")
7452	1143mm(45")×203mm (8")	7468	3000mm(118")×203mm (8")
7420	1220mm(48")×203mm (8")		




镁合金平头大抹子配球头球接支架

Square End Magnesium Bull Float with Rock&Roll Bracket

- * 配球头球接支架 #8803
- Includes Rock&Roll Bracket #8803

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
7471	609mm(24")×203mm (8")	7426	1220mm(48")×203mm (8")
7442	915mm(36")×203mm (8")	7466	1372mm(54")×203mm (8")
7450	1067mm(42")×203mm (8")	7434	1524mm(60")×203mm (8")
7458	1143mm(45")×203mm (8")	7472	1829mm(72")×203mm (8")




镁合金平头大抹子配通用支架

Square End Magnesium Bull Float with Universal Bull Float Bracket

- * 配抹子通用支架 #8807
- Includes Universal Bull Float Bracket #8807

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
7473	609mm(24")×203mm (8")	7424	1220mm(48")×203mm (8")
7440	915mm(36")×203mm (8")	7464	1372mm(54")×203mm (8")
7448	1067mm(42")×203mm (8")	7432	1524mm(60")×203mm (8")
7456	1143mm(45")×203mm (8")	7474	1829mm(72")×203mm (8")




镁合金平头大抹子

Square End Magnesium Bull Floats Set

- * 配蜗轮支架和3支铝合金手柄 (ϕ 45mm $\times$ 1830mm)
With wormgear bracket and 3pcs of aluminum handles (ϕ 45mm $\times$ 1830mm)
- * 配塑料工具箱, 方便携带
With plastic tool box to carry the full set in one convenient package

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
8607	915mm(36")	$\times$ 203mm(8")		8610	1372mm(54")	$\times$ 203mm(8")	
8608	1067mm(42")	$\times$ 203mm(8")		8604	1524mm(60")	$\times$ 203mm(8")	
8609	1143mm(45")	$\times$ 203mm(8")		8172	1829mm(72")	$\times$ 203mm(8")	
8601	1220mm(48")	$\times$ 203mm(8")					



3米镁合金平头大抹子

3M Extra Wide Magnesium Bull Float

- * 大抹子叶片和铝合金手柄间连接铝斜拉撑, 以确保叶片在施工过程中稳定运行
With supporting aluminum braces connecting the blade and aluminum handle to ensure steady move during construction
- * 拥有超宽的工作面积, 效率更高
Extra wide working area to increase efficiency

编号	Item No.	尺寸	Size
8618		3000mm $\times$ 203mm	




镁合金圆头大抹子叶片

Round End Magnesium Bull Float Blades

- * 使用优质镁合金材料挤压而成
Use the finest magnesium alloy extruded, by the CNC machine process two round end and drill the holes

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7028	609mm(24")	$\times$ 203mm(8")		7020	1220mm(48")	$\times$ 203mm(8")	
7022	915mm(36")	$\times$ 203mm(8")		7025	1372mm(54")	$\times$ 203mm(8")	
7023	1067mm(42")	$\times$ 203mm(8")		7021	1524mm(60")	$\times$ 203mm(8")	
7024	1143mm(45")	$\times$ 203mm(8")		7026	1829mm(72")	$\times$ 203mm(8")	




镁合金圆头大抹子配蜗轮支架

Round End Magnesium Bull Float Blades with Wormgear Bracket

- * 配蜗轮支架 #8801
Includes Wormgear Bracket #8801

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7324	609mm(24")	$\times$ 203mm(8")		7260	1220mm(48")	$\times$ 203mm(8")	
7276	915mm(36")	$\times$ 203mm(8")		7300	1372mm(54")	$\times$ 203mm(8")	
7284	1067mm(42")	$\times$ 203mm(8")		7268	1524mm(60")	$\times$ 203mm(8")	
7292	1143mm(45")	$\times$ 203mm(8")		7308	1829mm(72")	$\times$ 203mm(8")	




镁合金圆头大抹子配球头球接支架

Round End Magnesium Bull Float Blades with Rock&Roll Bracket

- * 配球头球接支架 #8803
Includes Rock&Roll Bracket #8803

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7325	609mm(24")	$\times$ 203mm(8")		7266	1220mm(48")	$\times$ 203mm(8")	
7282	915mm(36")	$\times$ 203mm(8")		7306	1372mm(54")	$\times$ 203mm(8")	
7290	1067mm(42")	$\times$ 203mm(8")		7274	1524mm(60")	$\times$ 203mm(8")	
7298	1143mm(45")	$\times$ 203mm(8")		7314	1829mm(72")	$\times$ 203mm(8")	




镁合金圆头大抹子配通用支架

Round End Magnesium Bull Float Blades with Universal Bull Float Bracket

- * 配抹子通用支架 #8807
Includes Universal Bull Float Bracket #8807

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7327	609mm(24")	$\times$ 203mm(8")		7264	1220mm(48")	$\times$ 203mm(8")	
7280	915mm(36")	$\times$ 203mm(8")		7304	1372mm(54")	$\times$ 203mm(8")	
7288	1067mm(42")	$\times$ 203mm(8")		7272	1524mm(60")	$\times$ 203mm(8")	
7296	1143mm(45")	$\times$ 203mm(8")		7312	1829mm(72")	$\times$ 203mm(8")	



镁合金圆头大抹子

Round End Magnesium Bull Float Set

- * 配蜗轮支架和3支铝合金手柄 (ϕ 45mm $\times$ 1830mm)
With wormgear bracket and 3pcs of aluminum handles (ϕ 45mm $\times$ 1830mm)
- * 配塑料工具箱, 方便携带
With plastic tool box to carry the full set in one convenient package

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
8710	609mm(24")	$\times$ 203mm(8")		8602	1220mm(48")	$\times$ 203mm(8")	
8611	915mm(36")	$\times$ 203mm(8")		8614	1372mm(54")	$\times$ 203mm(8")	
8612	1067mm(42")	$\times$ 203mm(8")		8605	1524mm(60")	$\times$ 203mm(8")	
8613	1143mm(45")	$\times$ 203mm(8")		8708	1829mm(72")	$\times$ 203mm(8")	




镁合金槽型抹子叶片

Magnesium Channel Float Blades

- * 超级砂浆地面平整工具, 更加强壮
Great finishing tool - extra strong
- * 适用于许多工作, 平整砂浆地面, 铺设块石地面等等
Ideal for many jobs like flat work, paving, etc
- * 两端加工成圆头, 1.92"边高
Broken-in rounded edges, 1.92" high sides
- * 适用多款AMF四孔支架
Use with 4-hole bracket assemblies

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7052	1220mm(48")	$\times$ 153mm(6")		7053	2439mm(96")	$\times$ 153mm(6")	
7050	1524mm(60")	$\times$ 153mm(6")		7054	3048mm(120")	$\times$ 153mm(6")	
7051	1829mm(72")	$\times$ 153mm(6")					



镁合金槽型抹子配蜗轮支架

Magnesium Channel Float Blades with Wormgear Bracket

* 配蜗轮支架 #8801

Includes Wormgear Bracket #8801

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
7516	1220mm(48")×153mm (6")	7511	2439mm(96")×153mm (6")
7500	1524mm(60")×153mm (6")	7503	3048mm(120")×153mm (6")
7508	1829mm(72")×153mm (6")		




镁合金槽型抹子配球头球接支架

Magnesium Channel Float Blades with Rock&Roll Bracket

* 配球头球接支架 #8803

Includes Rock&Roll Bracket #8803

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
7522	1220mm(48")×153mm (6")	7501	2439mm(96")×153mm (6")
7506	1524mm(60")×153mm (6")	7509	3048mm(120")×153mm (6")
7514	1829mm(72")×153mm (6")		




镁合金槽型抹子配通用支架

Magnesium Channel Float Blades with Universal Bull Float Bracket

* 配抹子通用支架 #8807

Includes Universal Bull Float Bracket #8807

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
7520	1220mm(48")×153mm (6")	7519	2439mm(96")×153mm (6")
7504	1524mm(60")×153mm (6")	7517	3048mm(120")×153mm (6")
7512	1829mm(72")×153mm (6")		



镁合金槽型抹子

Magnesium Channel Floats Set


* 配蜗轮支架和3支铝合金手柄 (φ45mm×1830mm)

With wormgear bracket and 3pcs of aluminum handles (φ45mm×1830mm)

* 配塑料工具箱, 方便携带

With plastic tool box to carry the full set in one convenient package

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8615	1220mm(48")×153mm(6")	8616	2439mm(96")×153mm(6")
8603	1524mm(60")×153mm(6")	8617	3048mm(120")×153mm(6")
8606	1829mm(72")×153mm(6")		



镁合金槽型抹子叶片

Magnesium Dual Edge Channel Float Blades

* 超级砂浆地面平整工具, 更加强壮

Great finishing tool - extra strong

* 专为提高平整度而设计, 更耐用、更坚固

Designed to improve flatness Durable and sturdier

* 圆弧边适合提浆


Rounded front edge for floating

* 90度直角边用于切割地面高点, 适合抹平, 不容易变形;


Square 90 degree back edge for cutting down high spots and finishing more resistant to warping than a standard bull float

* 用一个工具实现提浆和抹平, 提高工作效率

Use this one tool for floating and finishing and save time on the job



编号 Item No.	尺寸 Size
7057	1220mm(48") × 153mm (6")
7055	1524mm(60") × 153mm (6")
7056	1829mm(72") × 153mm (6")
7058	2439mm(96") × 153mm (6")
7059	3048mm(120") × 153mm (6")



镁合金槽型抹子

Magnesium Dual Edge Channel Floats Set

* 配蜗轮支架和3支铝合金手柄 (φ45mm×1830mm)


With wormgear bracket and 3pcs of aluminum swaged handles (φ45mm×1830mm)

* 配塑料工具箱, 方便携带

With plastic tool box to carry the full set in one convenient package




编号 Item No.	尺寸 Size
8718	915mm(36") × 153mm (6")
8715	1220mm(48") × 153mm (6")
8713	1524mm(60") × 153mm (6")
8714	1829mm(72") × 153mm (6")
8716	2439mm(96") × 153mm (6")
8717	3048mm(120") × 153mm (6")



铝合金平头大抹子叶片 Aluminum Square End Bull Float Blades

- * 高强度铝合金生产，更耐用
Made of high strength aluminum alloy, long wearing

编号	Item No.	尺寸	Size
7075	915mm(36")	×203mm(8")	
7072	1220mm(48")	×203mm(8")	
7076	1524mm(60")	×203mm(8")	
7077	1829mm(72")	×203mm(8")	



铝合金平头大抹子配涡轮支架 Aluminum Square End Bull Float Blade with Wormgear Bracket

- * 配涡轮支架 #8801
Includes Wormgear Bracket #8801


编号	Item No.	尺寸	Size
7680	915mm(36")	×203mm(8")	
7681	1220mm(48")	×203mm(8")	
7682	1524mm(60")	×203mm(8")	
7689	1829mm(72")	×203mm(8")	



铝合金平头大抹子配球头球接支架 Aluminum Square End Bull Float Blade with Rock & Roll Bracket

- * 配球头球接支架 #8803
Includes Rock& Roll Bracket #8803

编号	Item No.	尺寸	Size
7683	915mm(36")	×203mm(8")	
7684	1220mm(48")	×203mm(8")	
7685	1524mm(60")	×203mm(8")	
7690	1829mm(72")	×203mm(8")	



铝合金平头配通用支架 Aluminum Square End Bull Float Blade with Universal Bull Float Bracket

- * 配抹子通用支架 #8807
Includes Universal Bull Float Bracket #8807

编号	Item No.	尺寸	Size
7686	915mm(36")	×203mm(8")	
7687	1220mm(48")	×203mm(8")	
7688	1524mm(60")	×203mm(8")	
7691	1829mm(72")	×203mm(8")	



铝合金平头大抹子 Square End Aluminum Bull Floats Set

- * 配蜗轮支架和3支铝合金手柄 (φ 45mm×1830mm)
With wormgear bracket and 3pcs of aluminum handles (φ45mm×1830mm)
- * 配塑料工具箱，方便携带
With plastic tool box to carry the full set in one convenient package

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
8673	915mm(36")	×203mm (8")		8681	1372mm(54")	×203mm (8")	
8679	1067mm(42")	×203mm (8")		8682	1524mm(60")	×203mm (8")	
8680	1143mm(45")	×203mm (8")		8675	1829mm(72")	×203mm (8")	
8678	1220mm(48")	×203mm (8")					



铝合金圆头大抹子叶片 Round End Aluminum Bull Float Blades

- * 高强度铝合金，更耐用
Made of high strength alum alloy, long wearing .
- * 底部带弧，平衡并防止挖起砂浆
Float balde curved and balance to prevent digging.
- * 带有4个安装孔，适用于涡轮支架和带螺纹支架
Complete with 4 holes, use with worm gear bracket and threaded bracket .

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7073	915mm(36")	×203mm(8")		7071	1524mm(60")	×203mm(8")	
7070	1220mm(48")	×203mm(8")		7074	1829mm(72")	×203mm(8")	



铝合金圆头大抹子配涡轮支架 Round End Aluminum Bull Float Blades with Wormgear Bracket

- * 配涡轮支架 #8801
Includes Wormgear Bracket #8801


编号	Item No.	尺寸	Size
7695	915mm(36")	×203mm(8")	
7660	1220mm(48")	×203mm(8")	
7668	1524mm(60")	×203mm(8")	
7692	1829mm(72")	×203mm(8")	



铝合金圆头大抹子配球头球接支架 Round End Aluminum Bull Float Blades with Rock & Roll Bracket

- * 配球头球接支架 #8803
Includes Rock& Roll Bracket #8803

编号	Item No.	尺寸	Size
7282	915mm(36")	×203mm(8")	
7666	1220mm(48")	×203mm(8")	
7674	1524mm(60")	×203mm(8")	
7693	1829mm(72")	×203mm(8")	





铝合金圆头大抹子配通用支架

Round End Aluminum Bull Float Blades with Universal Bull Float Bracket

- * 配抹子通用支架 #8807
Includes Universal Bull Float Bracket #8807

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7663	915mm(36")	×203mm(8")		7672	1524mm(60")	×203mm(8")	
7664	1220mm(48")	×203mm(8")		7694	1829mm(72")	×203mm(8")	




铝合金圆头大抹子

Round End Aluminum Bull Floats

- * 配蜗轮支架和3支铝合金手柄
With wormgear bracket and 3pcs of aluminum handle
- * 配塑料工具箱，方便携带
With plastic tool box to carry the full set in one convenient package

编号	Item No.	尺寸	Size
8674	915mm(36")	×203mm(8")	
8670	1220mm(48")	×203mm(8")	
8671	1524mm(60")	×203mm(8")	
8676	1829mm(72")	×203mm(8")	



铝合金简易大抹子

Economical Aluminum Bull Floats with bracket

- * Economical designing for bracket and blade
经济性的叶片和支架设计
- * Extruded high strength aluminum alloy with ribs for extra strength
叶片为挤压铝合金型材，坚固耐用
- * Easy control during concrete finishing
使用时操作简便

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
8690	600mm	×149mm		8693	1500mm	×149mm	
8691	900mm	×149mm		8694	1800mm	×149mm	
8692	1200mm	×149mm					



锰钢圆头收光大抹子

Manganese Steel Round End Fresno Trowel Blade

- * 优质锰钢叶片具有出色的耐用性
Superior quality manganese steel blade material boasts excellent durability
- * 圆头不留痕帮助您创建无缝光滑的混凝土表面
Round ends eliminates drag marks, marking and gouging of concrete.
- * 叶片长度从24” 到48” ，可满足各种施工需要
Blade length from 24" up to 48"
- * 配套的支架及手柄也可单独购买
Bracket and handles sold separately

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7000	610mm(24")	*127mm(5")		7003	1067mm(42")	*127mm(5")	
7001	762mm(30")	*127mm(5")		7004	1220mm(48")	*127mm(5")	
7002	915mm(36")	*127mm(5")					



锰钢收光大抹子配蜗轮支架

Manganese Steel Fresno Trowel Blade with Wormgear Bracket

- * 配蜗轮支架 #8801
Includes Wormgear Bracket #8801

编号	Item No.	尺寸	Size
7100	610mm(24")	×127mm(5")	
7108	762mm(30")	×127mm(5")	
7116	915mm(36")	×127mm(5")	
7124	1067mm(42")	×127mm(5")	
7132	1220mm(48")	×127mm(5")	




锰钢收光大抹子配球头球接支架

Manganese Steel Fresno Trowel Blade with Rock&Roll Bracket

- * 配球头球接支架 #8803
Includes Rock& Roll Bracket #8803

编号	Item No.	尺寸	Size
7136	610mm(24")	×127mm(5")	
7137	762mm(30")	×127mm(5")	
7138	915mm(36")	×127mm(5")	
7139	1067mm(42")	×127mm(5")	
7140	1220mm(48")	×127mm(5")	



锰钢收光大抹子配2孔通用支架

Manganese Steel Fresno Trowel Blade with 2-Hole Universal button type handle Bracket

- * 配2孔通用缩管支架 #8806
Includes Universal Bull Float Bracket #8806

编号	Item No.	尺寸	Size
7103	610mm(24")	×127mm(5")	
7111	762mm(30")	×127mm(5")	
7119	915mm(36")	×127mm(5")	
7127	1067mm(42")	×127mm(5")	
7135	1220mm(48")	×127mm(5")	




锰钢收光大抹子配螺纹支架

Manganese Steel Fresno Trowel Blade with Universal threaded handle Bracket

- * 配2孔通用螺纹支架 #8805
Includes Universal Bull Float Bracket #8805

编号	Item No.	尺寸	Size
7101	610mm(24")	×127mm(5")	
7109	762mm(30")	×127mm(5")	
7117	915mm(36")	×127mm(5")	
7125	1067mm(42")	×127mm(5")	
7133	1220mm(48")	×127mm(5")	




锰钢圆头收光大抹子

Manganese Steel Round End Fresno Trowel

- * 优质锰钢叶片，用于混凝土地面路面抹平后的收光，配蜗轮支架和3支铝合金手柄（φ45mm×1830mm）

Made of manganese steel ,used to create smooth concrete surface, With wormgear bracket and 3pcs of aluminum handles (φ45mm×1830mm)

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
8151	610mm(24")	×127mm(5")		8154	1067mm(42")	×127mm(5")	
8152	762mm(30")	×127mm(5")		8155	1220mm(48")	×127mm(5")	
8153	915mm(36")	×127mm(5")					



收光拉毛组合刷

Double Time Fresno Brush


- * 组合刷将收光和拉毛工序集合到一款工具上，实现混凝土表面收光，拉毛一次性施工，提高效率

Combination brush allows the float and broom in one pass,improve working efficiency

- * 毛刷条可更换

Aluminum body with replacement strip

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
8173	1220mm(48")	×127mm(5")		8174	915mm(36")	×127mm(5")	



蓝钢圆头收光大抹子叶片

Big Blue Steel Round End Fresno Trowel Blades

- * 采用高品质蓝钢叶片，圆头设计更利于混凝土地面路面抹平后的收光

Made of high quality fine blue steel blade with rounded ends for producing a super smooth finish

- * 重型C型钢铆接贯穿整个叶片，特殊设计能更好的加强叶片的强度并使得施工地面更光洁平整

A C-channel runs the length of the gliders to help strengthen the blade for extra rigidity and fl-atness

- * 四种不同的宽度 最大程度的满足各种施工需要

4 sizes of the width : 5" ,7" ,8" & 12" .

编号	Item No.	尺寸	Size	C-Channel	编号	Item No.	尺寸	Size	C-Channel
7081	610mm(24")	×305mm(12")		Steel	7017	1220mm(48")	×178mm(7")		Steel
7015	915mm(36")	×127mm(5")		Steel	7013	1220mm(48")	×203mm(8")		Steel
7018	915mm(36")	×178mm(7")		Steel	7010	1220mm(48")	×305mm(12")		Steel
7082	915mm(36")	×203mm(8")		Steel	7019	1524mm(60")	×305mm(12")		Alum
7012	915mm(36")	×305mm(12")		Steel	7011	1829mm(72")	×305mm(12")		Alum
7014	1220mm(48")	×127mm(5")		Steel	7080	2438mm(96")	×305mm(12")		Alum




蓝钢收光大抹子配涡轮支架

Blue Steel Fresno Trowel Blade with Wormgear Bracket

- * 配蜗轮支架 #8801

Includes Wormgear Bracket #8801

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7192	915mm(36")	×127mm(5")		7189	1220mm(48")	×178mm(7")	
7194	915mm(36")	×178mm(7")		7191	1220mm(48")	×203mm(8")	
7188	915mm(36")	×305mm(12")		7190	1829mm(72")	×305mm(12")	
7180	1220mm(48")	×305mm(12")		7195	1524mm(60")	×305mm(12")	
7193	1220mm(48")	×127mm(5")					




蓝钢收光大抹子配球头球接支架

Blue Steel Fresno Trowel Blade with Rock&Roll Bracket

- * 配球头球接支架 #8803

Includes Rock& Roll Bracket #8803

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7198	915mm(36")	×127mm(5")		7197	1220mm(48")	×203mm(8")	
7201	915mm(36")	×178mm(7")		7186	1220mm(48")	×305mm(12")	
7199	915mm(36")	×305mm(12")		7210	1524mm(60")	×305mm(12")	
7200	1220mm(48")	×127mm(5")		7196	1829mm(72")	×305mm(12")	
7202	1220mm (48")	×178mm(7")					




蓝钢收光大抹子配通用支架

Blue Steel Fresno Trowel Blade with Universal Bull Float Bracket

- * 配通用缩管支架 #8807

Includes Universal Bull Float Bracket #8807

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
7205	915mm(36")	×127mm(5")		7204	1220mm(48")	×203mm(8")	
7207	915mm(36")	×178mm(7")		7184	1220mm(48")	×305mm(12")	
7023	915mm(36")	×305mm(12")		7211	1524mm(60")	×305mm(12")	
7206	1220mm(48")	×127mm(5")		7203	1829mm(72")	×305mm(12")	
7208	1220mm (48")	×178mm(7")					




蓝钢圆头收光大抹子

Blue Steel Round End Fresno Trowel Set

- * 配蜗轮支架和3支铝合金手柄(φ45mm×1830mm)

With wormgear bracket and 3pcs of aluminum handle (φ45mm×1830mm)

编号	Item No.	尺寸	Size	编号	Item No.	尺寸	Size
8184	915mm(36")	×127mm(5")		8182	1220mm(48")	×203mm(8")	
8186	915mm(36")	×178mm(7")		8156	1220mm(48")	×305mm(12")	
8181	915mm(36")	×305mm(12")		8188	1524mm(60")	×305mm(12")	
8183	1220mm(48")	×127mm(5")		8180	1829mm(72")	×305mm(12")	
8187	1220mm(48")	×178mm(7")					



混凝土路面防滑槽大抹子

Handicap Ramp Bull Float

- * 铝合金材质，整体铸造成形，坚固耐用

Made of aluminum alloy,formed by integral casting,strong and durable

- * 抹子底部带齿，用于在混凝土地面制作防滑槽，槽深10mm，槽宽10mm，槽间距50mm

Having teeth underneath to make grooves of 10mm deep by 10mm wide and 50mm in between

- * 装配通用支架和公母接头铝合金手柄使用，操作简便，省时省力

Equipped with universal bracket and threaded aluminum handles to allow easy use, saving time and labor


编号	Item No.	尺寸	Size
8660	1067mm(42")	x 203mm(8")	(齿间距Spacing: 50mm)



养牛场防滑槽大抹子
Ramp Bull Float for Cattle Farm Concrete Floor


- * 铝合金材质，整体铸造成形，坚固耐用
Made of aluminum alloy,formed by integral casting,strong and durable
- * 抹子底部带齿，用于在养牛场混凝土地面制作防滑槽，槽深10mm，槽宽10mm，槽间距100mm
Having teeth underneath to make grooves of 10mm deep by 10mm wide and 100mm in between
- * 装配通用支架和公母接头铝合金手柄使用，操作简便，省时省力
Equipped with universal bracket and threaded aluminum handles to allow easy use, saving time and labor

编号 Item No.	尺寸 Size
8661	1067mm(42") × 203mm(8") (齿间距Spacing: 100mm)



超级塑料大抹子叶片
Plastic Bull Float Blades

- * 表面摩擦力低，可实现快节奏施工
Low surface friction, fast-paced movement
- * 抗冲击，使用寿命长
Impact resistant; long wearing
- * 耐化学、耐腐蚀、防锈
Chemical, corrosion, and rust resistant
- * 混凝土不易粘附在表面，清理简单
Concrete doesn't stick to surface; easy clean-up
- * 可连接不同支架和手柄
Attaches to your favorite bracket and aluminum handle
- * 安装有盖板，两孔和4孔支架皆适用
Mounting adaptor accommodates two-hole or four-hole bull float brackets




编号 Item No.	尺寸 Size
3030	915mm(36") × 203mm (8")
3031	1220mm(48") × 203mm (8")
3032	1524mm(60") × 203mm (8")

超级塑料大抹子
Plastic Bull Float Set

- * 配蜗轮支架和3支铝合金手柄（φ45mm×1830mm）
With wormgear bracket and 3pcs of aluminum swaged handles（φ45mm×1830mm）

编号 Item No.	尺寸 Size
9500	915mm(36") × 203mm (8")
9501	1220mm(48") × 203mm (8")
9502	1524mm(60") × 203mm (8")



塑料手工抹子
Plastic Handle Float

- * 重量轻，使用寿命长
Light weight and durable
- * 铝合金加强筋，加强叶片强度
Aluminum bar to strengthen the blade
- * 混凝土不会粘在刀片上，易于清理
Concrete won't stick to blade for easy clean-up
- * 多种尺寸可供选择，以满足不同需要
Available in various sizes to suit your needs

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8143	305mm(12") × 76.2mm (3")	8146	457mm(18") × 76.2mm (3")
8142	355mm(14") × 76.2mm (3")	8147	508mm(20") × 76.2mm (3")
8145	406mm(16") × 76.2mm (3")		



蜗轮/球头球接支架
Wormgear/Rock&Roll Bracket

- * 平滑旋转，使手柄或抹子达到要求的高度
Smooth movements when tilting action is desired
- * 采用高强度铝合金铸造而成
Made from tough aluminum alloy
- * 适用于 1-3/4" 和1-3/8" 铝合金手柄
Uses 1-3/4" or 1-3/8" aluminum button type handles
- * 安装有黄油嘴
Zerk grease fitting



编号 Item No. : 8801
Wormgear Bracket



编号 Item No. : 8803
Rock & Roll Bracket

钢丝绳支架/链条支架
Cable Adjustable Bull Float Bracket / Chain Adjustable Bull Float Bracket

- * 适用于 1-3/4" 和1-3/8" 铝合金手柄
Uses 1-3/4" or 1-3/8" aluminum button type handles
- * 适用于2孔或4孔的镁合金，锰钢或蓝钢大抹子
Uses two or four hole bull float or fresnos trowels



编号 Item No. : 8802
Cable Bracket



编号 Item No. : 8804
Chain Bracket

通用带螺纹支架/抹子通用支架
Universal Threaded Handle Bull Float Bracket / Universal bull float bracket

- * 通用底座，适用于2孔或4孔的大抹子
Universal bottom base adapts to fit most 2-hole or 4-hole bull float
- * 适用于连接带公母接头铝合金手柄或缩管铝合金手柄
Use with threaded aluminum handle or swaged aluminum handle



编号Item No.:8805



编号Item No.:8806



编号 Item No. : 8807




编号 Item No. : 8808

“直径1-3/4 /1-3/8” 铝合金缩管手柄

1-3/4”/1-3/8” Aluminum Swaged Handle

- * 带有弹簧卡子,手柄非常容易锁住连接
Easily locks handles in place with quick snap springs
- * 在使用过程中不会松开
Will not loose during use

编号 Item No.	尺寸 Size
8901	Φ45mm×1830mm (1-3/4"x72")
8902	Φ45mm×2440mm (1-3/4"x96")
8903	Φ35mm×1830mm (1-3/8"x72")
8904	Φ35mm×2440mm (1-3/8"x96")




直径1-3/4” 带公母接头铝合金手柄

1-3/4” Aluminum Threaded Handles

- * 接头容易清理,方便连接,能与大多数的标准尺寸手柄和连接件连接
Threads are easy to clean,easy to join and fit most standard handles and adapters

编号 Item No.	尺寸 Size
8905	Φ45mm×1830mm(1-3/4"x72")
8906	Φ45mm×2440mm(1-3/4"x96")
8907	Φ45mm×3050mm(1-3/4"x120")



铝合金刮平尺(立尺)

Aluminum straightedges(Vertical)




- * 采用高硬度铝合金，“日”字形结构，加厚设计，平直度更好，更耐用
Made of high hardness aluminum alloy; “日” structure ,thickening design; straightness is better; more durable.
- * 用于混凝土耐磨地坪的刮平，拥有超宽的工作面积
Used for concrete wear-resistant floor leveling;wide working area.
- * 装配蜗轮支架和3支 Φ 45mm×1830mm铝合金缩管手柄使用，并配有斜拉撑，适合单人施工
Equipped with wormgear bracket and 3pcs of Φ45mm×1830mm aluminum swaged handles and aluminum braces ; can be operated by one single person.

编号 Item No.	尺寸 Size
8793	38mm×89mm×3000mm

镁合金刮平尺(立尺)

Extra Wide Magnesium Pavers' Straightedges(Vertical)

- * 镁合金材质，重量轻，更耐用
Made of magnesium alloy, light weight and durable
- * 用于混凝土地面的刮平，装配蜗轮支架和3支 Φ 45mm×1830mm铝合金缩管手柄使用
Used to level out the concrete surface; Equipped with wormgear bracket and 3pcs of Φ45mm×1830mm aluminum swaged handles
- * 刮板和铝合金手柄间连接铝合金支架，以确保刮板在施工过程中稳定运行
Fitted with supporting aluminum braces connecting the screed and handle to ensure steady move during work
- * 拥有超宽的工作面积，省时省力
Extra wide working area to save time and labor



编号 Item No.	尺寸 Size
8790	50.8mm×101mm×3500mm
8913	50.8mm×101mm×3000mm

镁合金刮平尺(横尺)

Magnesium Horizontal Straightedges

- * 镁合金材质，重量轻，更耐用
Made of magnesium alloy, light weight and durable
- * 用于混凝土地面的刮平，装配蜗轮支架和3支 Φ 45mm×1830mm铝合金缩管手柄使用
Used to level out the concrete surface; Equipped with wormgear bracket and 3pcs of Φ45mm×1830mm aluminum swaged handles
- * 刮板和铝合金手柄间连接铝合金支架，以确保刮板在施工过程中稳定运行
Fitted with supporting aluminum braces connecting the screed and handle to ensure steady move during work
- * 拥有超宽的工作面积，省时省力
Extra wide working area to save time and labor



编号 Item No.	尺寸 Size
8911	50.8mm×101mm×3000mm
8912	50.8mm×101mm×3500mm

新型镁合金刮尺

Magnesium Screed

- * 新型镁合金刮尺两端安装有垂直和45度的把手，方便混凝土地坪，路面等施工
The two end of magnesium screed assemble the steel handles, convenience for the screed processing of concrete road and floor
- * 把手适用于所有尺寸的镁合金靠尺
The steel handles are suitable for the all size magnesium screed



编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8777	50.8mmx101mmx3500mm(2"x4"x138")	8787	50.8mmx127mmx5000mm(2"x5"x196")
8778	50.8mmx101mmx5000mm(2"x4"x196")	8788	50.8mmx127mmx6000mm(2"x5"x236")
8779	50.8mmx101mmx6000mm(2"x4"x236")	8789	50.8mmx127mmx7000mm(2"x5"x276")
8786	50.8mmx101mmx7000mm(2"x4"x275")		

6M镁合金刮尺（立尺）

6m Magnesium Bump Cutter

- * 镁合金材质，重量轻，更耐用
Made of magnesium alloy, light weight and durable
- * 用于混凝土地面的刮平，装配蜗轮支架和铝合金手柄使用
Used to level out the concrete surface; Equipped with wormgear bracket and aluminum handles
- * 刮板和铝合金手柄间连接铝合金支架，以确保刮板在施工过程中稳定运行
Fitted with supporting aluminum braces connecting the screed and handle to ensure steady move during work
- * 拥有超宽的工作面积，省时省力
Extra wide working area to save time and labor




编号 Item No.	尺寸 Size
8918	50.8mm×101mm×6000mm
8918A	50.8x101x6000mm(2pcs of 3000mm connected)

混凝土超平刮尺

Hand Tamper

- * 低成本的混凝土平整工具
Low cost option for levelling concrete.
- * 可达腰部高度的手柄 最大限度减少操作人员工作量
Waist-height handles to minimize operator effort.
- * 选择不同的长度以适应不容需求
Choice of beam lengths to suit application.
- * 轻巧设计 方便使用
Lightweight design for ease of use.
- * 铝合金材质 坚固耐用
Light and sturdy in aluminium construction.

编号 Item No.	产品 Item & Parts	尺寸 Size
8771-5	刮尺 (钻孔) Beam (pre-drilled)	50.8mm×101mm×5000mm
8771-6	刮尺 (钻孔) Beam (pre-drilled)	50.8mm×101mm×6000mm
8771-7	刮尺 (钻孔) Beam (pre-drilled)	50.8mm×101mm×7000mm
8772-5	刮尺 (钻孔) Beam (pre-drilled)	50.8mm×127mm×5000mm
8772-6	刮尺 (钻孔) Beam (pre-drilled)	50.8mm×127mm×6000mm
8772-7	刮尺 (钻孔) Beam (pre-drilled)	50.8mm×127mm×7000mm



双手柄砂浆摊平器

Aluminium Dapple Bar Twin Handle

- * 采用铝合金材质，重量轻，舒适手柄
High quality lightweight aluminum ,with comfort grip twin handles
- * 高度可调节，表面喷塑处理
Height adjustable, powder coated finish
- * 直径38mm或50.8mm
bottom bar is 38mm or 50.8mm.
- * 用于在铺设自由流动的自流平液体砂浆时释放气泡并实现光滑的表面
Used to release air bubbles and achieve a smooth finish when laying free-flowing self-levelling liquid screeds
- * 轻轻打破表面张力，实现更持久的收光表面
Lightly break the surface tension for a more durable and accurate finish when laying self-compacting concrete

编号 No.	尺寸 Size	底杆直径 Bottom Bar Diameter
8720	1200mm	50.8mm
8721	2000mm	50.8mm
8722	3000mm	50.8mm
8726	1200mm	38mm
8727	2000mm	38mm
8728	3000mm	38mm

* 底部杆直径38mm或者50.8mm




振动尺尺体

Magnesium Screed Bar

- * 镁合金材质 耐用 重量轻
Durable and lightweight magnesium design
- * 电机可安装在尺体的任意位置
Clamp the motor to any point along the bar
- * 横截面双三角设计
Double triangular design

编号 Item No.	尺寸 Size
7091	3048mm(120")
7092	3657mm(144")
7093	4267mm(168")
7094	4876mm(192")



连接接头

Button Handle Adapters

- * U型接头，铸铁材质
U- Shape, cast iron material
- * 多种尺寸
Various Sizes
- * 表面喷塑
Power coated


编号	直径 (Diameter)	长度 (Length)	叉间距 (Spacing)
0062	1—3 / 8" (35mm)	9" (23cm)	5mm
0063	1—3 / 8" (35mm)	9" (23cm)	8mm
0064	1—3 / 8" (35mm)	9" (23cm)	10mm



镁合金靠尺

Magnesium Screed

- * 镁合金靠尺重量比铝合金靠尺重量轻30%，更适用于超平地坪，混凝土道路以及各类场地的施工
Magnesium screed are 30% light than aluminum alloy screed, use for the supperflat floor, all kind of concret road and site floor
- * 采用高质量镁合金生产
Use finest magnesium alloy extruded
- * 镁合金靠尺的寿命超过铝合金至少3倍，因为镁合金接触混凝土后会形成碱性氧化膜
Magnesium screed will last 3 times longer than aluminum alloy, due to the release of alkaline in the concrete process



编号 Item No.	尺寸 Size
7800	25.4mm×101mm×1829mm(1"×4"×72")
7801	25.4mm×101mm×2438mm(1"×4"×96")
7802	25.4mm×101mm×3000mm(1"×4"×118")
7804	25.4mm×101mm×3500mm(1"×4"×138")

编号 Item No.	尺寸 Size
7833	50.8mm×101mm×1829mm(2"×4"×72")
7820	50.8mm×101mm×2000mm(2"×4"×78")
7822	50.8mm×101mm×2500mm(2"×4"×98")
7823	50.8mm×101mm×3000mm(2"×4"×118")
7836	50.8mm×101mm×3048mm(2"×4"×120")
7824	50.8mm×101mm×3500mm(2"×4"×138")
7837	50.8mm×101mm×3657mm(2"×4"×144")
7834	50.8mm×101mm×4876mm(2"×4"×192")
7829	50.8mm×101mm×5000mm(2"×4"×196")
7835	50.8mm×101mm×6096mm(2"×4"×240")
7873	50.8mm×101mm×7315mm(2"×4"×288")

编号 Item No.	尺寸 Size
7840	38.1mm×89mm×1829mm(1-1/2"×3-1/2"×72")
7841	38.1mm×89mm×2438mm(1-1/2"×3-1/2"×96")
7842	38.1mm×89mm×3048mm(1-1/2"×3-1/2"×120")
7843	38.1mm×89mm×3657mm(1-1/2"×3-1/2"×144")
7870	38.1mm×89mm×4267mm(1-1/2"×3-1/2"×168")
7845	38.1mm×89mm×4876mm(1-1/2"×3-1/2"×192")
7871	38.1mm×89mm×5486mm(1-1/2"×3-1/2"×216")
7844	38.1mm×89mm×6096mm(1-1/2"×3-1/2"×240")
7872	38.1mm×89mm×7315mm(1-1/2"×3-1/2"×288")

编号 Item No.	尺寸 Size
7868	50.8mm×127mm×3000mm(2"×5"×118")
7860	50.8mm×127mm×4000mm(2"×5"×157")
7893	50.8mm×127mm×5000mm(2"×5"×196")
7892	50.8mm×127mm×6000mm(2"×5"×236")
7863	50.8mm×127mm×7500mm(2"×5"×295")
7864	50.8mm×127mm×8000mm(2"×5"×314")

镁合金手工抹子

Magnesium Handle Float

- * 采用高强度挤压镁合金，重量轻
Made of high strength magnesium alloy , light weight
- * 抹子两端加工成斜面,并且抹子的四个角都进行倒角处理
Float ends are beveled and the blade is broken-in with rounded corner



编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8502	305mm(12")×79.4mm(3.125")	8504	457mm(18")×79.4mm(3.125")
8503	355mm(14")×79.4mm(3.125")	8505	508mm(20")×79.4mm(3.125")
8501	405mm(16")×79.4mm(3.125")	8517	609mm(24")×79.4mm(3.125")

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8518	305mm(12")×89mm(3.5")	8508	457mm(18")×89mm(3.5")
8506	355mm(14")×89mm(3.5")	8509	508mm(20")×89mm(3.5")
8507	405mm(16")×89mm(3.5")	8519	609mm(24")×89mm(3.5")

镁合金圆头手工抹子
Magnesium Round End Handle Float


- * 采用高强度挤压镁合金，重量轻，施工效率高，舒适耐用。
Made of high strength magnesium alloy, light weight, high working efficiency, comfortable to use and durable.
- * 抹子二端圆头设计，配置TPR手柄，适用于混凝土施工。
Two round ends, soft TPR handle, suitable for concrete construction.

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8514	305mm(12")×79.4mm(3.125")	8516	457mm(18")×79.4mm(3.125")
8515	355mm(14")×79.4mm(3.125")	8512	508mm(20")×79.4mm(3.125")
8511	405mm(16")×79.4mm(3.125")	8513	609mm(24")×79.4mm(3.125")




镁合金锥形手工抹子
Magnesium Tapered Darby

编号 Item No.	尺寸Size	把手结构 Handel Configuration
8561	762mm	Single Float



镁合金手工抹子
Magnesium Darby (Standard)

- * 镁合金材质，重量轻且耐用
Magnesium blade material is lightweight and durable
- * 多种长度和把手款式可供选择
Choose your preferred length and handle style




编号 Item No.	尺寸Size	把手结构Handel Configuration	
8560	30"(762mm)×3-1/8" (79.4mm)	单把手Single Float	平头 Square end
8560S	30"(762mm)×3-1/8" (79.4mm)	双把手Double Float	
8560Z	30"(762mm)×3-1/8" (79.4mm)	组合把手Single Float& Knob	
8562	36"(915mm)×3-1/8" (79.4mm)	单把手Single Float	平头 Square end
8562S	36"(915mm)×3-1/8" (79.4mm)	双把手Double Float	
8562Z	36"(915mm)×3-1/8" (79.4mm)	组合把手Single Float& Knob	
8563	30"(762mm)×3-1/8" (79.4mm)	单把手Single Float	圆头 Round end
8563S	30"(762mm)×3-1/8" (79.4mm)	双把手Double Float	
8563Z	30"(762mm)×3-1/8" (79.4mm)	组合把手Single Float& Knob	
8564	36"(915mm)×3-1/8" (79.4mm)	单把手Single Float	圆头 Round end
8564S	36"(915mm)×3-1/8" (79.4mm)	双把手Double Float	
8564Z	36"(915mm)×3-1/8" (79.4mm)	组合把手Single Float& Knob	

高碳钢方头抹泥刀
High Carbon Steel Square End Trowel

- * 高碳钢材质刀片；铝合金安装支架，结实耐用；TPR高级橡塑手柄，握持更加舒适。
可用于各种墙面地面的砂浆抹平，多种尺寸选择，提高工作效率和施工质量
Made of high carbon steel blade; aluminum alloy mounting, strong and light; soft TPR handle for extra comfort and grip; used to smooth the surface of concrete wall and road

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8101	280×102mm(11"×4")	8104	406×102mm(16"×4")
8102	305×102mm(12"×4")	8250	457×102mm(18"×4")
8103	356×102mm(14"×4")		



高碳钢圆头抹泥刀
High Carbon Steel Round End Trowel

- * 高碳钢材质刀片；铝合金安装支架，结实耐用；TPR高级橡塑手柄，握持更加舒适。
可用于各种墙面地面的砂浆抹平，多种尺寸选择，提高工作效率和施工质量
Made of high carbon steel blade; aluminum alloy mounting, strong and light; soft TPR handle for extra comfort and grip; used to smooth the surface of concrete wall and road


编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8252	305x102mm(12"x4")	8251	457x102mm(18"x4")
8105	356x102mm(14"x4")	8254	457x114mm(18"x4-1/2")
8106	406x102mm(16"x4")	8255	508x114mm(20"x4-1/2")



高碳钢抹泥刀（前圆后方）
High Carbon Steel Trowel (Round /Square ends)

- * 高碳钢材质，多种尺寸可选
High carbon steel material , various sizes
- * 铝合金支架，橡塑手柄
Aluminum shank , soft TPR handle


编号 Item No.	尺寸 Size
8259	356x102mm
8260	406x102mm



带齿抹泥刀
High Carbon Steel Trowel with tooth


- * 高碳钢材质刀片，结实耐用；TPR高级橡塑手柄，握持更加舒适
Made of high carbon tempered blade, strong and durable; Soft TPR handle for extra comfort and grip
- * 可用于各种墙面地面的砂浆抹平，提高工作效率和施工质量
Used to smooth the surface of concrete wall and road, increase efficiency and save labor

编号 Item No.	尺寸 Size
8111	280mmx114mm, V型齿4.76mmx3.97mm (3/16" x 5/32")
8112	280mmx114mm, V型齿4.76mmx6.35mm (3/16" x 1/4")
8113	280mmx114mm, U型齿 3.18mmx4.76mmx3.18mm (1/8" x 3/16" x 1/8")
8114	280mmx114mm, SQ型齿6.35mmx6.35mmx6.35mm (1/4" x 1/4" x 1/4")



尖头抹泥刀
Pointed Plastering Trowel

- * 高碳钢材质或者不锈钢材质
High Carbon Steel Material or Stainless Steel Material
- * 木手柄
Wooden handle



编号 Item No.	尺寸 Size	材质 Material	编号 Item No.	尺寸 Size	材质 Material
8133	355×101mm(14"×4")	Carbon Steel	8138	500×90mm(20"×3-1/2")	Stainless Steel
8134	406×114mm(16"×4-1/2")	Carbon Steel	8128	700×90mm(27-1/2"×3-1/2")	Stainless Steel
8131	450×119mm(17-3/4"×4-3/4")	Carbon Steel	8129	800×90mm(31-1/2"×3-1/2")	Stainless Steel
8132	500×119mm(20"×4-3/4")	Carbon Steel	8136	450×130mm(17-3/4"×5-1/8")	Stainless Steel
8135	550×119mm(21-3/4"×4-3/4")	Carbon Steel	8137	550×130mm(21-3/4"×5-1/8")	Stainless Steel

不锈钢墙角抹泥刀
Stainless Steel Corner Trowel

- * 重量轻， 不锈钢材质
Lightweight and formed from a single piece of stainless steel
- * 内外角之分
Choose between inside and outside corner trowel



编号 Item No.	尺寸 Size
8405 内角	75mmx75mmx110mm
8406 外角	75mmx75mmx110mm

高碳钢方头砌砖刀
High Carbon Steel Margin Trowel

- * 高碳钢材质刀片，TPR高级橡塑把手，特别适用于砌空心砖墙体，减少砂浆浪费。手柄前端的舌状设计能够减少手指与工具的摩擦并保护手指不被磨伤，提高施工效率和工程质量

Made of high carbon tempered blade; soft TPR handle for extra comfort and grip; integral finer guard protects against calluses, heat and cold

编号 Item No.	尺寸 Size
8006	152mmx51mm(6"x2")
8007	203mmx51mm(8"x2")



高碳钢砌砖刀
High Carbon Steel Brick Trowel

- * 高碳钢材质刀片；TPR高级橡塑手柄，手柄前端的舌状设计能够减少手指与工具的摩擦并保护手指不被磨伤，大幅度提高施工效率和工程质量

Made of high carbon tempered blade; soft TPR handle for extra comfort and grip; integral finer guard protects against calluses, heat and cold

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8001	127mm(5")	8003	254mm(10")
8002	152mm(6")	8004	280mm(11")
		8005	305mm(12")



带齿砌砖刀
Notched Margin Trowel

- * 弹性高碳钢材质 适用于狭窄难以到达区域
Flexible 5" x 2" blade applies thin set in hard-to-reach areas
- * V型齿或者方型齿
Choose between either a V-Shape or Square notch margin trowel


编号 Item No.	尺寸 Size
8355	127mmx50.8mm(5"x2") square notch
8356	127mmx50.8mm(5"x2") V-shaped notch



不锈钢弧角抹子
Stainless Steel Arc Angle Float

- * 材料采用1.0mm厚304不锈钢板，永不生锈，专业施工；木质手柄，设计新颖，握感舒适
Made of 1.0mm thickness 304 stainless steel plate, never rusting, professional construction; Wood handle, modern design, comfortable hand feels
- * 可用于环氧地坪，混凝土地坪的墙角施工，提高工作效率和施工质量
Used in wall corner construction of epoxy and concrete floor, increase efficiency and save labor

编号 Item No.	尺寸 Size
8115	200mmx160mmx80mm R角30mm (8"x6.3"x3" R 1.18")
8116	200mmx140mmx80mm R角50mm (8"x5"x3" R2")




编号Size: 8116 编号Size: 8115

不锈钢半圆抹子
Invert Groover

- * 不锈钢304材质，厚度1.0mm
SUS 304 material, 1.0mm thickness


编号 Item No.	尺寸 Size
8375	6" (152.4mm)
8376	8" (203.20mm)



蓝钢楼梯抹子
Blue Steel Step Trowel

- * 优质锰钢刀片，经蓝色氧化后防锈力更好；TPR高级橡塑手柄，钢制安装支架；可用于楼梯内棱角和外棱角的快速成形，使用方便，能大幅提升施工效率和楼梯外观效果
High grade blue steel blade, better rust-resistance; sturdy steel mounting and TPR soft handle; used to create inner and outer corner of steps; easy and efficient to use, significantly improving the step appearance


编号 Item No.	尺寸 Size
8401	内角，152mmx152mmx102mmxR角3.18mm
8402	外角，152mmx152mmx102mmxR角3.18mm



高碳钢墙角抹子
High Carbon Steel Corner Trowel

- * 高碳钢材质，橡塑把手，钢制安装支架，坚固耐用；可用于内墙角和外墙角的快速成形，也可用于其他需要做出直角的地方
Has a steel blade and steel mounting, soft TPR handle, strong and easy to use; Used to form inside and outside corners; also ideal tool for other places requiring a square corner


编号 Item No.	尺寸 Size
8403	内角，127mmx64mm直角
8404	外角，127mmx64mm直角



树脂抹子

Resin Float

- * 原材料为高强度层压帆布树脂，配软TPR手柄或木手柄
Made of high pressure laminated canvas resin with TPR or wood handle
- * 相比普通抹子，混凝土表面提浆效果更好
Extremely dense, perfectly performance for bring out the cream from concrete surface



编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8523	305mm(12")×88.9mm(3.5") SQ 平头	8524	305mm(12")x88.9mm(3.5") RD 圆头
8525	355mm(14")×88.9mm(3.5") SQ 平头	8526	355mm(14")x88.9mm(3.5") RD 圆头
8520	405mm(16")×88.9mm(3.5") SQ 平头	8521	405mm(16")x88.9mm(3.5") RD 圆头
8522	455mm(18")×88.9mm(3.5") SQ 平头	8527	455mm(18")x88.9mm(3.5") RD 圆头
8529	508mm(20")×88.9mm(3.5") SQ 平头	8528	508mm(20")x88.9mm(3.5") RD 圆头

聚氨酯抹泥板

Polyurethane Float

- * 整体成型，聚氨酯材质，坚硬耐用；底部方格密纹，可用于铺设瓷砖前在基础墙体或地面做出粗糙效果，以增强瓷砖附着力，也可用于其他需要做出粗糙效果的墙面或地面
Made of one-piece PU material, hard and durable; square minigrooves on the bottom to create a coarse surface before laying tiles for increased adhesive force



编号 Item No.	尺寸 Size
8110	280mmx140mm

混凝土砂浆铝托盘

Aluminum Hawk

- * 1.8mm高硬度铝合金板；边缘去毛边，四角呈圆弧形，符合人体工程学，轻便耐用，装配优质塑料手柄，握持更加舒适，大大降低劳动强度，并提高施工效率
1.8mm thick aluminum blade; edges have been smoothed and the corners rounded for convenience; durable and lightweight, comes with light plastic handle and rubber preventer for extra comfort



编号 Item No.	尺寸 Size
9002	300mmx300mm

不锈钢混凝土切缝器

Stainless Steel Concrete Hand Groover

- * 不锈钢材质，精密铸造，橡塑手柄，握持舒适，底面精致抛光，切缝深度可达38mm
Made of stainless steel SUS304 and formed by precision casting; assembled with soft TPR handle; underside polished to mirror-like surface; grooving depth up to 38mm
- * 不锈钢混凝土切缝器在混凝土路面抹平后即可使用，手持切缝器沿着靠尺划过路面即可切出伸缩缝，快捷方便，无需再使用路面切割机进行切割，大大降低路面切割成本。
Easy to handle, a hand groover can lay off large-scale and fuel-consuming road cutting machine, especially for small road construction projects.




编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8202	180mmx110mmX刃高10mm(7"x4.3"x Depth 3/8")	8204	180mmx110mmX刃高32mm(7"x4.3"x Depth 1-1/4")
8203	180mmx110mmX刃高25mm(7"x4.3"x Depth 1")	8201	180mmx110mmX刃高38mm(7"x4.3"x Depth 1-1/2")

长手柄不锈钢切缝器

Stainless steel walking groover

- * SUS304不锈钢材质，精密铸造，配1.83米长手柄，底面精致抛光，切缝深度可达38mm
Made of stainless steel SUS304 and formed by precision casting, assemble with long aluminum hand 1.83m, underside polished to mirro-like surface, grooving depth up to 38mm
- * 不锈钢切缝器在混凝土路面抹平后即可使用，站在路边，手握切缝器手柄沿着靠尺划过路面即可切出伸缩缝，快捷方便，对于10cm厚度以下的路面无需使用切割机进行切割，大大降低路面切割成本。
Easy to handle,a handle groover can lay off large-scale and fuel-consuming road cutting machine,especially for small road construction projects.
- 备注：标配2支 φ 35mm × 1830mm铝合金缩管手柄，手柄可以对接，使手柄长度增加到3.66米。



编号 Item No.	尺寸 Size
8209	180mmx110mm×刃高25mm(7"x4.3"x Depth 1")
8210	180mmx110mm×刃高32mm(7"x4.3"x Depth 1-1/4")
8211	180mmx110mm×刃高38mm(7"x4.3"x Depth 1-1/2")

带刃抹子

Flying Groover

- * 铸铝一次成型，坚固耐用
Made of cast aluminum, long wearing
- * 刀刃前后双开，两侧皆可切缝
Choose from single bit (one direction) or double bit (two direction) groover
- * 支架和手柄与各型号的大抹子和收光抹子通用，手柄对接，最长可接至5.5m长
Use with any AMF bull float bracket and handle, maximum length to be 5.5m




编号 Item No.	尺寸 Size
8214	609.6mm(24")×203mm(8")×3/4" Depth
8215	609.6mm(24")×203mm(8")×1" Depth
8216	609.6mm(24")×203mm(8")×1 1/2" Depth

蓝钢混凝土修边器

Blue Steel Concrete Hand Edger

- * 蓝钢材质，橡塑手柄，握持舒适
Made of high quality blue steel; assembled with soft TRP handle and comfortable to hold.
- * 混凝土修边器让路面边角轻松变出弧度，并使混凝土与挡板分割开来，便于在混凝土凝固后打开挡板，并且混凝土路面边缘不会掉角而是形成漂亮的R角，大大提高路面质量，并节省时间和人工。
A concrete hand edger can be easily used to cut apart the concrete road and the baffle, creating a round curve on the road corner at the same time so as to help avoid damage to the road edge. It will highly improve the road appearance and construction quality as well as save time and labor.



编号 Item No.	尺寸 Size
8301	152mmx76mmxR角3.18mmx刃长10mm(6"x3"xR1/8" Lip 3/8")
8302	152mmx102mmxR角6.35mmx刃长10mm(6"x4"xR1/8" Lip 3/8")
8303	152mmx152mmxR角9.53mmx刃长13mm(6"x3"xR3/8" Lip 1/2")

长手柄混凝土修边器

Blue Steel Walking Edger

- * 蓝钢材质，防锈力更好
Blue steel blade material, better rust-resistance
- * 多种尺寸可供选择
Choice of various sizes



编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8304	228mmx102mm xR6.35x刃长10mm (9"x4" 1/4"R 3/8"Lip)	8308	228mmx102mm xR9.53x刃长12.7mm (9"x4" 3/8"R 1/2"Lip)
8305	228mmx152mmx R6.35x刃长10mm (9"x6" 1/4"R 3/8"Lip)	8309	228mmx152mmx R9.53x刃长12.7mm (9"x6" 3/8"R 1/2"Lip)
8306	228mmx203mmx R6.35x刃长10mm (9"x8" 1/4"R 3/8"Lip)	8310	228mmx203mm xR9.53x刃长12.7mm (9"x8" 3/8"R 1/2"Lip)
8307	228mmx254mmx R6.35x刃长10mm (9"x10" 1/4"R 3/8"Lip)	8311	228mmx254mm xR9.53x刃长12.7mm (9"x10" 3/8"R 1/2"Lip)

铝合金刮尺

Aluminum Scraping Straightedge

- * 高硬度铝合金制造，重量轻，耐用
Made of high hardness aluminum alloy, light weight and durable to use
- * 安装有TPR橡塑手柄，抓举方便，手感舒适
Each assembled with two TPR hand grips to allow easy and comfortable handling
- * 用于墙体，地面施工，比传统工具提高效率5倍
Use for the wall and land construct, increase efficiency by 5 times



编号 Item No.	尺寸 Size
8761	1210×100×80mm
8763	1600×100×80mm

带齿铝合金刮尺

Aluminum Scraping Straightedge with Tooth

- * 高硬度铝合金制造，重量轻，耐用
Made of high hardness aluminum alloy, light weight and durable
- * 安装有TPR橡塑手柄，抓举方便，手感舒适
Each assembled with two TPR hand grips to allow easy and comfortable handling
- * 底部设计有单面齿，减轻刮平砂浆的力度，比传统工具提高5倍施工效率
Designed to have a line of tooth on one side of the bottom surface, increased the working efficiency




编号 Item No.	尺寸 Size
8762	1210x100x80mm

镁合金h型刮尺(专利产品)

Magnesium h-shaped Scraping Straightedge (Patented)

- * 高级镁合金制造，重量轻，硬度高，耐磨，节省体力，大幅度提高墙面砂浆/灰浆施工效率
Made of high-grade magnesium alloy, light-weight, high-hardness and abrasion resistance, significantly increased unit working area
- * h型专利设计，手指可以伸入h型槽内，把持方便，节省人工成本
Patented h-shape design to enable both hands to dive into the groove, allowing easier and more comfortable handling and saving labor cost
- * 多种尺寸选择，每个包装2支
With various sizes to choose, 2 pieces per package




编号 Item No.	尺寸 Size
8550	1200mm×115mm(47.2"x4-1/2")
8554	1500mm×115mm(59"x4-1/2")
8551	1800mm×115mm(70.8"x4-1/2")
8552	2400mm×115mm(94.5"x4-1/2")
8553	3000mm×115mm(118"x4-1/2")

登高器

STILTS

- * 提高施工效率和降低人工成本
increase working efficiency and lower the cost

编号 Item No.	尺寸 Size
#1830	可调节高度457mm—762mm
#2440	可调节高度609mm—1016mm



磨块

Rub Brick

- * 碳化硅材质，用于混凝土度面墙面的磨平，可以替代金刚石打磨机，特别适用于小面积混凝土墙面地面的打磨，经济实用。
Made of silicon carbide; fast method of removing form and mold marks or dressing down concrete work; with plastic handle securely fastened to the brick.



编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
9079	152mm×50mm×50mm C20 (6"x2"x2")	9077	203mm×89mm×38mm C20 (8"x3.5"x1-1/2")
9005	152mm×76mm×25mm C20 (6"x3"x1")	9080	203mm×50mm×50mm C20 (8"x2"x2")
9006	152mm×76mm×25mm C60 (6"x3"x1")	9081	203mm×50mm×50mm C60 (8"x2"x2")
9078	203mm×89mm×19mm C20 (8"x3.5"x3/4")		

裱花袋

Grout Bag

- * 白色PVC人造革
0.4mm white PVC leather 0.4mm
- * 0.6mm黑色PVC人造革+不锈钢锥形头
0.6mm black PVC leather with stainless steel funnel



编号 Item No.	尺寸 Size	颜色 Color
9074	60×33cm	白色 White
9075	60×33cm	黑色 Black

地坪专用雪橇式推耙

Floor Dedicated Sled Pushing Rake

- * 采用高强度铝合金生产，重量轻，耐用
Made of strong aluminum, light weight and durable
- * 高度可以从0调整到50mm
The height can adjust from 0 to 50mm
- * 根据地坪要求的砂浆、聚酯、环氧等材料的厚度，调整两侧钩子高度，然后进行摊铺，可以一次性达到所要求的材料厚度，节省材料，提高效率
Based on the thickness of mortar, polyester, epoxy materials with floor requirements, adjust the height in two sides hook, then spread and pave. It can reach to requested material thickness in one-time, save materials and increase efficiency
- * 高质量榉木手柄长度为1.52米
Complete with high-quality beech wood handle, the length is 1.52m




编号 Item No.	尺寸 Size
9026	40mm×40mm×650mm(26")
9036	40mm×40mm×915mm(36")
9037	40mm×40mm×1220mm(48")

混凝土滚压筒

Rolling Tamper

- * 可单人操作
One person operation
- * 压实并提浆
Depresses aggregate and "brings up the cream"
- * 更迅速抹平混凝土路面
Levels and prepares slab faster
- * 配合带公母接头铝合金手柄使用
Use with threaded handle

编号 Item No.	长度 Length	滚压筒直径 Roller Dia.
9013	610mm (24")	127mm (5")
9014	1220mm (48")	127mm (5")
9034	915mm (36")	127mm (5")





混凝土全铝合金耙

Concrete Aluminum Placer

- * 采用高强度铝合金生产，重量轻
Made of strong lightweight aluminum
- * 焊接有高强度铝合金支架，增加耙子强度
Welded heavy-duty aluminum braces for added strength
- * 铝合金挤压手柄长度为1.53米，带有把套
60" aluminum handle with textured foam grip

编号	Item No.	尺寸	Size
9004	495×102×1530mm	带钩（with hook）	
9004-G	495×102×1530mm	不带钩（no hook）	




超宽铝合金耙子

Extra Wide Aluminum Placer

- * 采用高强度铝合金制造，重量轻
Made of high strength aluminum alloy; light weight
- * 超宽施工面积，工作面平整度高，提高效率。
Extra wide working area with high level of smoothness; help to improve working efficiency.

编号 Item No. 9011
铝合金耙头长度:1200mm; 木手柄长度:1800mm
Alum rake head length:1200mm; Wooden handle length:1800mm



重型带齿铝耙

Heavy Duty Aluminum Toothed Rake

- * 采用高强度铝合金挤压一体成型，坚固且重量轻
Made of one-piece extrusion strong, lightweight aluminum
- * 耙头角度设计合理，齿耙专用于推拉石子、骨料或其他材料，效率高
Optimal curve to easily push and pull the maximum amount of material into place. The toothed rake moves through rocks, aggregate, and other materials.
- * 手柄设计符合人体工学
The handle is as per agronomical designing

编号	Item No.	尺寸	Size
9092	508mm(20")×127mm(5")×1524mm(60")		



重型平头铁耙

Heavy Duty Steel Texas Placer

- * 采用优质碳钢，坚固耐用
Made of high grade carbon steel, sturdy and durable
- * 耙头角度设计合理，耙料效率高
Optimal curve to easily push and pull the maximum amount of material into place
- * 手柄设计符合人体工学
The handle is as per agronomical designing

编号	Item No.	尺寸	Size
9093	508mm(20")×127mm(5")×1524mm(60")		



金色/蓝色/红色氧化手柄铝耙

Anodized Gold/ Blue/Red Concrete Aluminum Placer

- * 采用高强度铝合金生产，且重量轻
Made of strong, lightweight aluminum
- * 耙头角度设计合理，在混凝土上可推可拉，都很轻便
Optimal curve to easily push and pull material into place as the user spreads and levels concrete
- * 焊接有高强度铝合金支架，增加耙子强度
Welded heavy-duty aluminum braces for extra strength
- * 铝合金挤压手柄经金色/蓝色/红色氧化，非常美观
The handle is anodized gold/blue/red color, very beautiful

编号	Item No.	尺寸	Size
9095	495mm(19-1/2")×102mm(4")×1530mm	Gold	
9097B	508mm(20")×105mm(4-1/8")×1530mm	Blue	



编号	Item No.	尺寸	Size
9097R	508mm(20")×105mm(4-1/8")×1530mm	Red	
9096	762mm(30")×102mm(4")×1530mm	Gold	

双面铁耙

Dual Face Steel Rake

- * 采用优质碳钢，坚固耐用
Made of high grade carbon steel , sturdy and durable
- * 平齿双面，一耙两用
Integrated by flat and toothed double sides in one rake for multi-purpose
- * 耙头角度设计合理，在混凝土上可推可拉，都很轻便
Optical curve to easily push and pull material into place as the user spreads and leaves concrete

编号	Item No.	尺寸	Size
9094	508mm(20")×127mm(5")×1372mm(54")		



轻型双面铝耙

Dual Face Lightweight Aluminum Rake

- * 采用高强度铝合金挤压一体成型，坚固且重量轻
Made of one-piece extrusion strong, lightweight aluminum
- * 平齿双面，一耙两用
Integrated by flat and toothed double sides in one rake for multi-purpose
- * 耙头角度设计合理，在混凝土上可推可拉，都很轻便
Optimal curve to easily push and pull material into place as the user spreads and levels concrete

编号	Item No.	尺寸	Size
9090	508mm(20")x102mm(4")x1372mm (54")		
9098	915mm(36")x102mm(4")x1372mm (54")		




重型平头铝耙

Heavy Duty Aluminum Texas Placer

- * 采用高强度铝合金挤压一体成型，坚固且重量轻
Made of one-piece extrusion strong, lightweight aluminum
- * 耙头角度设计合理，耙料效率高
Optimal curve to easily push and pull the maximum amount of material into place
- * 手柄设计符合人体工学
The handle is as per agronomical designing

编号	Item No.	尺寸	Size
9091	508mm(20")×127mm(5")×1524mm(60")		






超宽带齿铝合金耙（钝齿）

Aluminum Placer (Blunt)

- * 采用高强度铝合金生产， 挤压手柄为红色氧化处理
Made of aluminum alloy , handles are anodized red color
- * 加以支撑以增加产品耐用性
Braced for extra durability
- * 钝齿耙头设计便于施工
Blunt style blade allows material to pass through easily

编号 No.	尺寸 Size	手柄 Handle	Style
9098	36" (915mm)	1830mm	钝齿 Blunt




镁合金沥青耙

Magnesium Asphalt Placer

- * 耙头采用镁合金生产，重量轻，耐用
Lightweight and durable magnesium rake head
- * 平齿，尖齿，钝齿三种齿形可供选择
Choose between plain sharp or blunt blade style
- * 多种耙头尺寸，多种手柄长度
Various blades sizes and handle lengths

编号No.	尺寸Size	手柄Handle	Style
9120	30" (762mm)	1830mm	平齿 Plain
9121	36" (915mm)	1830mm/2400mm	平齿 Plain
9122	30" (762mm)	1830mm	尖齿 Sharp

编号No.	尺寸Size	手柄Handle	Style
9123	36" (915mm)	1830mm/2400mm	尖齿 Sharp
9124	30" (762mm)	1830mm	钝齿 Blunt
9125	36" (915mm)	1830mm/2400mm	钝齿 Blunt



铲刀

Scraper

- * 高碳钢材质刀体 手柄带把套
High carbon steel blade and a plastic grip on the handle for protection
- * 玻璃纤维手柄
Fiberglass Handle
- * 刮刀可用于混凝土地面的表面处理以及清洁施工、耐用性强，是混凝土施工工程中不可或缺的完美工具。
These durable scrapers are the perfect tools for surface preparation or cleaning of concrete forms, concrete floors, and wood floors.

编号No.	尺寸Size	手柄Handle	颜色Color
9029R	203mm×100mm×1mm	1400mm	红色Red
9030Y	305mm×100mm×1mm	1400mm	黄色 Yellow
9031Y	406mm×100mm×1mm	1400mm	黄色 Yellow



钢耙

Steel Placer

- * 钢制 弹性好 抗冲击性好
Made of reinforced steel elastic with high resistance to shocks and blows
- * 可用于平整和推混凝土以及铺设沥青
Can be used for leveling and pulling concrete and laying asphalt

编号No.	尺寸Size	手柄Handle
9053	500mm	1400mm



钉鞋

Spiked Shoes

- * 镀锌钢钉长40mm,采用全新塑料原料注塑成型
Galvanized steel nails

编号 Item No.	尺寸 Size
9021	300mmx140mm



地坪专用镁鞋

Floor Dedicated Magnesium Shoes

- * 采用优质镁合金压铸生产，每双只有600克重，用于地坪施工，减轻混凝土施工时的脚印
Made of magnesium alloy,the weight of each pair is only 600gram, lighten the footprint on the wet concrete

编号 Item No.	尺寸 Size
9008	335mm×195mm



地坪专用铝鞋

Floor Dedicated Aluminum Shoes

- * 采用高强度铝合金压铸生产，专门用于地坪施工；减轻脚印，节省地坪后处理的研磨抛光时间，降低施工成本。
Made of high-strength aluminum in casting production, specially used in floor construction; Lighten the footprint, save the grinding and polishing time after floor final treatment, lower the construction cost.

编号 Item No.	尺寸 Size
9022	335mmx195mm




消泡滚筒

Plastic Bubble Roller

- * 滚筒采用高韧性进口PE材料，耐腐蚀
The roller is made of high-tough PE material, corrosion resistance
- * 针刺部分采用圆锥形，具有较强的可用性和耐磨性
The tooth is made circular cone shape, it has high usability and wear-resisting
- * 把手可以连接加长支架，能够远距离操作，实用性强
The handle can connect the extended bracket, operate in far distance, high usability
- * 适用于环氧及自流平地坪的施工消泡
Used to defoam in epoxy and self-leveling floor construction

编号 Item No.	尺寸 Size
8117	齿长28mmx254mm (10")
8118	齿长28mmX1500mm 手柄(Handle)



钢丝消泡滚筒

Porcupine Roller

- * 采用不锈钢丝生产，用于刺破自流平砂浆，环氧树脂漆地坪施工中的微小气泡。
Needle-pin design eliminates gas bubbles formed in epoxy floor coatings and self-level floor.
- * 一次性消除地坪材料的张力。
Relieves surface tension in one pass.
- * 采用长手柄设计，降低劳动强度,提高劳动效率。
Fitted long handle, reduce the intensity of labour on the working, increase working efficiency.

编号 Item No.	尺寸 (Size)	钢丝长度(Spike Size)
8119	228mm(9")	12.7mm
8230	228mm(9")	26mm
8220	458mm(18")	12.7mm
8229	458mm(18")	26mm



混凝土毛刷

Concrete Broom

- * 用于混凝土地面防滑拉毛处理
Used to make concrete floor rough surface
- * 配高品质的榉木手柄， 长度为1.52米
Complete with high quality beech wood handle, the length is 1.52 meter

编号 Item No.	尺寸 Size
9010	800mmx76mmx1524mm
9039	1000mmx76mmx1524mm



铝合金混凝土毛刷

Aluminum Backed Concrete Broom

- * 用于混凝土路面抹平后实现高质量的收光效果
Helps to create a quality finish on concrete after floating
- * 多种尺寸可选
Various sizes available

编号 Item No.	尺寸 Size
9060-A	1220mm(48")
9061-A	915mm(36")



石板毛刷

Flagged Bristle Broom

- * 刷毛材质：聚苯乙烯
Bristle material : polystyrene
- * 刷毛的末端经过磨散处理，易于清扫更小、更细的颗粒物
Bristles are frayed at the ends, which makes it easy to pick up smaller and finer particulate matter.
- * 加以支撑以增加产品强度
Braced for additional strength
- * 木手柄
Wooden handle

编号 Item No.	尺寸 Size
9043	915mm(36")




铝合金拉毛刷

Flat Wire Texture Broom

- * 多种规格型号可供选择
36" and 48" broom with three kinds of center to center spacing available
- * 耙齿由卡扣式热处理弹簧钢制成，持久耐用有弹性，且可以更换
Snap-out, snap-in replaceable tines are high quality spring steel
- * 手柄和接头部分跟长手柄切缝器通用。配三根铝合金手柄，最长可至5.5米
Universal swaged handle and adapter with walking groover . Equipped with 3 pcs of 6' handle, maximum length 5.5m

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
9058	1220mm(48")×12.7mm(1/2") wire spacing	9057	915mm(36")×12.7mm(1/2") wire spacing
9054	1220mm(48")×19mm(3/4") wire spacing	9055	915mm(36")×19mm(3/4") wire spacing
9059	1220mm(48")×25.4mm(1") wire spacing	9056	915mm(36")×25.4mm(1") wire spacing



钢制混凝土斗和支架

Steel Mortar Pan with Chained Stand

- * 采用优质钢板冲压一次成型，重量轻，耐用
Adopt the cold steel plate, one step punch molding shape Light weight and long life.
- * 支架采用链条链接，支撑稳定，方便使用
Double chain mortar board stands; stable and easy to use.



钢制混凝土斗 Steel Mortar Pan

编号 Item No.	尺寸Size	钢板厚度 steel plate thickness
9029	755mm×170mm×410mm	1.20mm

钢支架（双链条） Double Chain Mortar Board Stand

编号 Item No.	钢支架高度Height
9030	525mm

钢制混凝土斗

Steel Mortar Tub

- * 全焊钢结构；喷塑处理
Fully welded steel , powder coated
- * 防漏设计
Leak-proof design to make a clean job-site
- * 强化的顶部边沿，增强产品力度
Reinforced top lip for additional strength
- * 内部光滑，搅拌容易
Smooth interior surface to make mixing easier

编号 Item No.	尺寸 Size (L×W×D)	容积Liquid Capacity
8033	1220mmx610mmx280mm(48"x24"x11")	4.4立方英尺cu. ft./125 升(l)
8034	1524mmx813mmx280mm (60"x32"x11")	8.4 立方英尺 cu. ft./238升(l)



可叉钢制混凝土斗

Heavy-Duty Forklift Mortar Tub

- * 重型钢结构，表面喷塑
Heavy-duty steel construction , powder coated
- * 加强的边沿以增强产品力度
Reinforced edges for additional strength
- * 可以用叉车轻松移动
Space on the bottom to allow movements with forklift

编号 Item No.	尺寸 Size (L×W×D)	容积Liquid Capacity
8035	1016mmx610mmx390mm(40"x24"x15-3/8")	6.5 立方英尺cu. ft./184 升(l)
8036	1499mmx610mmx457mm(59"x24"x18")	10立方英尺cu. ft./283 升(l)



钢制可调节大象砖夹

Adjustable Brick Tong

- * 高强度钢质方管结构，结实耐用，免维护，可快速调节，一次性搬运6—10块砖，符合人体工程学，大幅度提高搬运效率
Heavy duty square tube construction; maintenance free; can be quickly adjusted to carry from 6 to 10 bricks

编号 Item No.	尺寸 Size
9001	406mm(6-10块砖)



砖缝勾缝器

Brick Jointer

- * 平滑美化砖之间的缝隙；高碳钢材质，两端适用于不同砖缝尺寸
Smooth joints between bricks. Built with high carbon steel, this product is designed for different joint sizes on each end to give you the best variety on the job

编号 Item No.	尺寸 Size	编号 Item No.	尺寸 Size
8357	12.7mm(1/2")and 15.9mm(5/8")	8359	15.9mm(5/8") and 3/4"(19mm)
8358	19mm(3/4") and 22.2mm(7/8")	8360	9.5mm(3/8") and 12.7mm(1/2")



砖缝清理耙

Bearing Wheel Raker

- * 压铸铝合金，一体成型
One piece die-casting aluminum
- * 配直径1” 轴承轮
Equipped with 1” diameter bearing wheel
- * 可调节钉子
Adjustable nail
- * 轻松旋转拇指螺栓调节深度
Easy turn thumb screw adjusts the raking depth



编号Item No.: 8365


自流平平面刮刀

Self-Leveling Plain Scraper Knife

- * 优质不锈钢刀体，更耐用；特殊热处理刀片，强度高、韧性强，使用寿命长；刀尖圆角设计，不易留痕；铝合金刀架，更轻便；配置高品质钢手柄，与刀片连接更紧密、牢固、耐用

High quality stainless steel blade, more durable; Special heat treatment of the blade, high strength, strong toughness, long service life; Knife point designs round angle, no trace; Aluminum alloy knife frame, more portable; Complete with high-quality steel handle, it is connected closer with blade, tighter and more durable

编号 Item No.	尺寸 Size
9025	600mm×90mm×1500mm




自流平带齿刮刀

Self-Leveling Scraper Knife With Tooth

- * 采用高弹性不锈钢带齿刀片，韧性好，不生锈，与刀架采用螺丝连接，3mmV型齿刀片和5mmU型齿刀片可以互换，降低成本，根据自流平的厚度选择刀片，有效推动自流平材料的均匀流动

Used the high toughness stainless steel blade with tooth, never rust, assemble with the steel holder by the bolt, the 3mm V shape tooth blade with 5mm U shape tooth blade could be interchange at the holder.The customer could be choose the different size blade based the self leveling materials thickness, to push the self-leveling materials flow uniform

编号 Item No.	尺寸 Size
9023	601mm×50mm×1500mm, V型齿3mm×3mm
9024	601mm×50mm×1500mm, U型齿5mm×5mm



地坪/墙面圆角刮刀

Floor/Wall Round-Angle Scraper Knife

- * 优质不锈钢刀体，更耐用；特殊热处理刀片，强度高、韧性强，使用寿命长；刀尖圆角设计，不易留痕；铝合金刀架，更轻便；橡塑手柄，设计新颖，握感舒适；嵌入式设计，手柄与刀片连接更紧密、牢固、耐用

High quality stainless steel blade, more durable; Special heat treatment of the blade, high strength, strong toughness, long service life; Knife point designs round angle, no trace; Aluminum alloy knife frame, more portable; Plastic handle, modern design, comfortable hand feels; Embedded design, handle and blade are connected closer, tighter and more durable


编号 Item No.	尺寸 Size
9015	400mm
9016	500mm
9017	600mm



自流平带齿刮刀

Self-leveling Scraper with tooth (wooden frame)

- * 装配高弹性蓝钢带齿刮刀，齿高3mm和5mm
Assembled with high elastic blue steel scraper with tooth, tooth height is 3mm and 5mm
- * 适合不同厚度自流平砂浆施工，有效推动自流平材料的均匀流动，迅速达到整平效果
It is suitable for the construction of self leveling mortar with different thickness, which can effectively promote the uniform flow of self leveling materials and quickly achieve the leveling effect



编号 Item No.	尺寸 Size
9012	560mm×127mm U型齿3mm×4mm, 5mm×4mm

地刮器

Floor Wiper

- * 采用铝合金或镀锌钢板头+橡胶刮条，高耐磨
Made of aluminum or galvanized steel frame and rubber bar, high wear-resisting
- * 有效贴合地面，强劲刮除地面积水
Effective to joint ground, strong to wipe the water of ground

编号 Item No.	尺寸 Size
9019	600mm, 铝合金直头，搭配不锈钢伸缩杆 Aluminum straight-head, complete with straight type SS stretchy handle
9020	600mm, 镀锌钢弯头，搭配包塑铁杆 Galvanized steel bent-head, complete with plastic coated steel handle




推水器

Water Scraper

- * 刮板采用1英寸厚EVA泡沫，厚实紧密，不漏水，手柄采用1.5m轻质铝合金，使用轻便，效率高
Made of 1” EVA material, thick and solid, water-tight during working, equipped with 60” light weight aluminum handle

- * 泡沫板部分和手柄分体式设计，便于携带和运输
Separate design between EVA part and handle, convenient for carrying and forwarding

编号 Item No.	尺寸 Size
9018	1200mm(48")×165mm(6.5")×1800mm(72")



TPR护膝

TPR Shell Knee Pad

- * 带扣式扣件系统，带可调扎带
Buckle style fastening system with adjustable straps
- * 舒适的泡棉垫提供额外的膝盖保护
Comfortable foam padding for extra knee protection
- * 超坚韧、轻盈的面料，坚固耐用
Super tough, lightweight fabric covering one size fits all

编号 Item No.	尺 寸 Size
9076	240×180×100mm



PP护膝

PP Shell Knee Pad

- * 建筑施工专用
Heavy duty construction throughout
- * 重型的塑料盖，便于旋转
Heavy plastic caps for easy knee swiveling
- * 厚泡棉填充，让膝盖全天舒适
Thick foam padding for all day comfort
- * 滑扣式扣件系统，配有可调束带，方便贴合
Slide buckle style fastening system with adjustable straps for convenience and fit

编号 Item No.	尺 寸 Size
9068	250×190×100mm



PVC护膝

PVC Slip Resistance Knee Pad

- * 重量轻的结构使工人移动起来更加方便舒适
Light weight structure makes it easy and comfortable to move
- * 采用高密度泡棉材料
High density foam for comfort.

编号 Item No.	尺寸 Size
9069	210×170×100mm



黑色PP护膝

Black PP Shell Knee Pad

- * 填充分体式皮革专业护膝
Padded split leather professional knee pad
- * 高密度聚氨酯护膝
High density Polyurethane knee pad
- * 双可调扎带闭合，全天舒适
Double adjustable straps closure for all day comfort.

编号 Item No.	尺 寸 Size
9070	260×200×100mm



Gel透明壳护膝

Gel Transparent Shell Knee Pad

- * 硅胶护膝
Gel knee pads
- * 舒适且使用长久
Comfortable with a long working life
- * 旋转硬盖便于移动
Swivel cap for easy movement
- * 扎带长短可调
Adjustable straps

编号 Item No.	尺 寸 Size
9071	210×180×120mm



PVC透明壳硅胶内衬护膝

PVC Transparent Shell Knee Pad PE + silica gel/NBR lining

- * 每付护膝都配有人性化的魔术贴扎带，简便实用
Each knee pad is equipped with a user friendly adjustable strap in order to ensure a perfect fit
- * 由于有硅胶的保护，该款软性内衬护膝可满足建筑承包商、电工、装饰师、园丁和DIY爱好者的多种需求
Due to gel foam protection, these gel knee pads are recommended for a range of purposes among construction contractors, electricians, decorators, gardeners and DIY enthusiasts.

编号 Item No.	尺 寸 Size
9072	250×200×130mm



TPR硬壳护膝

TPR Shell Knee Pad

- * 灵活的氯丁橡胶扎带和符合人体工程学的设计，让护膝整天舒适地固定。此外，滑扣设计方便穿戴
Flexible neoprene straps and an ergonomic design keep the knee pads snugly in place all day long. Plus, the quick release slip buckle clips make putting on and taking off your pads a snap.
- * 柔软的硅胶和耐用的EVA泡棉垫可以为你的膝盖提供数小时的缓冲。重型加厚聚乙烯防护罩可在任何地形上防止割伤或刮伤。
Soft gel core and durable EVA foam padding cushion your knees for hours on end. A heavy duty thick poly shield protects against cuts or scrapes on any terrain.
- * 适用于混凝土和硬木地板、建筑工程、地板和地毯安装、焊接、货架存放、园艺、清洁等
Ideal for working on concrete and hardwood floors, construction work, flooring and carpet installations, welding, stocking shelves, gardening, cleaning, and more
- * 加粗尼龙线确保持久耐用。600D聚酯网布透气，全天舒适
Heavy weight nylon thread ensures long lasting durability. 600D polyester mesh breathes for all day comfort

编号 Item No.	尺 寸 Size
9073	230×180×120mm




不锈钢直底护膝板

Knee Boarder

- * 不锈钢材质
Made of heavy-duty stainless steel
- * 底部边角做倒角处理，方便滑行
Edges and corners are rounded for smooth sliding on the slab

编号 Item No.	尺 寸 Size
9065A	711mmx203mm(28"x8")
9065R	711mmx203mm(28"x8")



编号Item: 9065A

编号Item: 9065R

不锈钢弯底护膝板

Stainless Steel Knee Boarder

- * 不锈钢材质
Made of heavy-duty stainless steel
- * 尾短弯曲设计，防止挖起砂浆
Made with curved ends to prevent digging into the concrete

编号 Item No.	尺 寸 Size
9066A	711mmx203mmx93.5mm(28"x8"x3.7")
9066R	711mmx203mmx93.5mm(28"x8"x3.7")



编号Item: 9066A

编号Item: 9066R

塑料护膝板

Kneeler Boards

- * 对膝盖提供额外保护和舒适度，减少疲劳
Kneeler Board gives the knees extra support and comfort to minimize fatigue
- * 减轻膝盖部位承受的疼痛感，从而更加专注于施工工作
This tool will ease pain and let you focus on your concrete work
- * 黑色泡沫板，底层塑料板
Black foam pad fastened to a polypropylene tray
- * 超大舒适手柄供抓握
Comes with extra-large handle grips

编号 Item No.	尺 寸 Size
9067	603mm×353mm×44mm



铝合金锹

Aluminum Scoop Shovel with D-grip handle

- * 铝合金材质，重量轻
Aluminum hard alloy material , light weight
- * 木质手柄, D型舒适把手
hardwood handle with steel 'D' grip

编号 Item No.	尺 寸 Size
8040	286(11.25")x400mm(15.75")x1100mm (43")
8041	325mm(12.8")x395mm(15.55")x1070mm (42")
8042	370(14.6")x485mm(19")x1400mm (55")
8043	370mm(14.6")x485mm(19")x1700mm (67")
8044	255(10")x290mm(11.4")x1200mm (47")



聚氨酯压花模具


URETHANE MATS

压花模具采用高品质的软质聚氨酯材料生产，有多种花纹和尺寸的模具可以选择。

压花边模采用同样的软质聚氨酯材料生产，与压花模具花色相同，但是比较薄和柔软，便于在地坪的边部和中间尺寸较紧的位置进行压花施工。

Urethane Mats are available in a variety of patterns, texture, and sizes, the all mats are made from flexible polyurethane. Floppy mats are made in the same patterns as the texture mats, but are thinner for flexibility in tight areas.

Note : Other sizes /models are available upon request .



方琢石 Ashlar Cut stone

5005	压花模(Yellow Texture Mat)	24" x 24"	黄色
5006	压花模(Blue Texture Mat)	24" x 24"	蓝色
5007	压花模(Red Texture Mat)	24" x 24"	红色
5008	边模(Yellow Floppy Mat)	24" x 24"	黄色
5009	边模(Blue Floppy Mat)	24" x 24"	蓝色
5010	边模(Red Floppy Mat)	24" x 24"	红色



欧式扇形鹅软石 European Fan Cobblestone

5003	压花模(Texture Mat)	26" x 46"
5004	边模(Floppy Mat)	26" x 46"




花岗岩 Granite Sets

5001	压花模(Texture Mat)	24" x 24"
5002	边模(Floppy Mat)	24" x 24"




鲑鱼骨砖型 Herringbone Brick

5013	压花模(Texture Mat)	26" x 38"
5014	边模 (Floppy Mat)	26" x 38"




伦敦鹅软石 London Cobblestone

5011	压花模(Texture Mat)	17" x 30"
5012	边模(Floppy Mat)	17" x 30"



不规则琢石 Random Stone

5019	压花模(Yellow Texture Mat)	29" x 29"	黄色
5020	压花模(Blue Texture Mat)	29" x 29"	蓝色
5021	压花模(Red Texture Mat)	29" x 29"	红色
5022	边模(Yellow Floppy Mat)	29" x 29"	黄色
5023	边模(Blue Floppy Mat)	29" x 29"	蓝色
5024	边模(Red Floppy Mat)	29" x 29"	红色



顺砖砌合 Running Bond

5015	压花模(Texture Mat)	16" x 37"
5016	边模(Floppy Mat)	16" x 37"



琢石边模 Cut Stone Boarder

5017	压花模(Texture Mat)	8 1/2" x 34"
5018	边模(Floppy Mat)	8 1/2" x 34"

彩色路面铸铁夯

Color Road Tamper

- * 材质：铸铁
Material: Cast Iron
- * 钢管柄提供更高的抗弯强度和更长的使用寿命
Steel tube handle allows enhanced bending resistance and longer service life
- * 双浸塑握手提供更舒适的掌握，适用于手工夯实、夯平等工作
TPR handle grip gives more comfortable grasp to perform manual road tamping and flattening work.

编号 Item No.	尺 寸 Size
9041	200x200x1067mm (8"×8")
9042	250x250x1067mm (10"×10")

* Wood handle and fiberglass handle are available .



聚氨酯铁夯

Polyurethane Tamper

- * 底座材质：聚氨酯
Base material : polyurethane
- * 优良的弹性，耐磨，耐用
Excellent elasticity; Wear resistance and durability
- * 玻璃纤维手柄
Fiberglass Handle

编号 Item No.	尺 寸 Size
9045	280x280x1067mm (11"×11")



重型铲刀

Heavy Duty Scraper

- * 铲刀采用优质高锰钢板生产，并采用钢手柄和脚蹬设计，轻松铲除地坪上的环氧漆，地面上的建筑垃圾，坚固耐用，使用方便

The scraper made by the high quality manganese steel, assembled the steel handle and pedal, strongly. Easy use for clear the epoxy of floor and construction waste

编号 Item No.	尺 寸 Size
9027	350mm×113mm×1480mm
9028	100mm×100mm×1300mm



编号Item: 9027

编号Item: 9028

沥青桶

Tar Pots

- * 沥青桶用于沥青和混凝土路面裂缝的沥青填充
Tar pots are used to apply cold crack sealant to asphalt or concrete
- * 由高强度钢制成
Made of high strength 14 gauge steel
- * 容易操作，提高效率，耐用
Easy control, high efficiency, durable

编号 Item No.	尺 寸 Size	容积 Capacity
8374	Φ200mm (7-7/8") x658.8mm (25-15/16")	2 Gallon



自流平砂浆搅拌机

Self-level mortar Mixer

提高50%效率

- * 配置2050W大功率搅拌机，带有定时控制，精确搅拌，节省人工
With the 2050W Mixer and timing controller, labour cost saving and exact mixing
- * 适用于自流平砂浆搅拌，一次搅拌3袋砂浆，高效，快速
Uses for the self-level mortar mixing, up to 3 sacks mortar can be mixed one time, effective, high speed
- * 砂浆搅拌均匀，没有结块，桶底没有沉淀
Uniform mixing, no lumps, no sediment on the bottom of tub
- * 带有卸料槽，可以把搅拌好的砂浆均匀倾倒在施工地面上
With the discharge spout, easy pouring and perfect materials spreading
- * 带有4个万向脚轮，非常方便把搅拌好的砂浆运到施工现场
With 4 fully moving steering wheels, easy to transport and move on the construction side
- * 还可用于聚氨酯砂浆，纤维增强材料，白灰以及其他液态材料的搅拌
Also use for the polymeric sand slurry, fiber-reinforced filler, mortar of wall and other liquid materials mixing



型号 (Model): Bull- Mix 1800
编号 (Item): 9200

技术参数 (Technical specification)

搅拌量 Mixing volume	70 升 (liters)	搅拌机转速 (低速/高速) Mixer speed (low/high speed)	150-300转/分钟 (rpm/min) 300-650转/分钟 (rpm/min)
不锈钢桶容积 Stainless steel Bucket capacity	96升 (liters)	搅拌器尺寸 Mixing paddle size	搅拌杆螺纹: M14 Spindle thread: M14 长度 (Length) : 600mm 直径 (Dia) : 160mm/200mm
最大载重量 Max loading	120公斤 (kgs)	设备净重 Net weight	50公斤 (kg)
电机功率 Motor Power	2050W/220V/50Hz	设备尺寸 Dimension(L x W x H)	L860 x W620 x H1100mm
计时器 Timing controller	0 – 99分钟 (min)		

搅拌机/双头搅拌机

Mixer / Double head Mixer

型号AD1800
型号AD1800D

- * 采用重型齿轮设计，扭矩大
Heavy Duty gear system with large torque
- * 超过300小时连续工作时间
More than 300hours continued working time

功率 (Power) : 220V/50Hz/1800W
转速 (speed) : 150-300/300-650转/分 (RPM/min)

编号 (Item): 9204 (AD1800)
编号 (Item): 9210 (AD1800W)



假山、雕刻专用施工工具

蓝钢拉毛刷 Plaster Scarifier

- * 塑料手柄
Plastic handle
- * 弹簧钢刀架
Spring steel blade
- * 蓝钢齿
Blue steel tines



编号 Item No.	刀架宽度 Blade width	齿长度 Tine length
8223	203mm (8")	76mm (3")
8224	305mm (12")	76mm (3")

假山柳叶&方头雕刻刀 Ornamental Tool, Leaf & Square

- * 锻打和回火：弹性更好
Forged and tempered for greater flexibility
- * 一头柳叶形，另一头方形
Leaf and square ends



编号 Item No.	尺寸 Size
8022	9.53mmx215.9mm (3/8"x8-1/2")
8023	12.7mmx215.9mm (1/2"x8-1/2")
8024	15.88mmx215.9mm (5/8"x8-1/2")
8025	19.05mmx215.9mm (3/4"x8-1/2")

假山雕刻用毛刷 Stucco Dash Brush

- * 刷毛：5行×14行
Trim : 5 rows × 14 rows
- * 刷毛由塑料修剪而成
Bristles are plastic trimmed



编号 Item No.	尺寸 Size	手柄长度 Handle Length
8031	165mm×50mm×100mm (6-1/2"×2"×4")	180mm(7")

锻造砌砖刀 Forged Brick Trowel

- * 采用优质钢材锻造工艺生产，经久耐用
High quality carbon steel blade; forging process; high durability

编号 Item No.	长度 Length Size	款式 Pattern
8014	254mm(10")	费城款(Philadelphia)
8021	152.4mm(6")	美式(American)



编号(Item): 8014

编号(Item): 8021

假山尖形&方头雕刻刀 Ornamental Tool, Trowel & Square

- * 锻打和回火：弹性更好
Forged and tempered for greater flexibility
- * 一头尖形，另一头方形
Trowel and square ends



编号 Item No.	尺寸 Size
8026	9.53mmx215.9mm (3/8"x8-1/2")
8027	12.7mmx241.3mm (1/2"x9-1/2")
8028	15.88mmx266.7mm (5/8"x10-1/2")
8029	19.05mmx266.7mm (3/4"x10-1/2")
8030	25.4mmx266.7mm (1"x10-1/2")

高碳钢圆头抹泥刀 High Carbon Steel Trowel- Round end

- * 高碳钢材质刀片，铝脚
Made of high carbon steel blade; alum shank
- * 不锈钢焊钉，木手柄
Stainless steel welding studs and Wooden handle



编号 Item No.	尺寸 Size
8109	305mm×89mm(12" × 3.5")
8120	254mm×76mm(10" × 3")

电子水平尺(美国原装进口，在美国销量超过200万台) Electronic Level (Imported from USA, the sales volume is over two million in USA)

- * 符合IP65认证要求，防水防尘，提高施工精度，方便施工及检验
Waterproof and dustproof, IP65 certified, increase the construction accuracy, convenient construction and inspection
- * 设有液晶背光灯，即便在黑暗没有灯光的情况下，也能轻松读取数据
Back light, horizontal vial glows, easy to read in dim to no lighting
- * 新款前盖式设计，增大按钮键，即使带手套也能轻松按下；嵌入式按钮避免意外碰撞；即便从一米的高度掉到混凝土地面也不会摔坏
New front cover design, larger buttons for gloved fingers, recessed mode button to prevent accidental changes, more rugged-drop tested to over 3 feet onto concrete floor
- * 引导式校准操作程序，仅需不到2分钟，五种角度模式的快速转换
Guided calibration process, takes less than 2 minutes, Five instant angle conversion modes
- * 72英寸长度，更适合用在建筑墙体、地面、门框等长跨度的测量，及一些特定地方的测量
New 72 inch length is perfect for door frames, long spans, concrete forms, drainage, and application specific formulas



建筑电子角度传感器
编号9100


编号 Item No.	尺寸 Size
9101	Gen3 600mm (23-5/8") SmartTool Level 带手提袋
9102	Gen3 1200mm (47-1/4") SmartTool Level 带手提袋
9103	Gen3 1830mm (72-1/3") SmartTool Level 带手提袋



坡道专用电子水平尺(美国原装进口) ADA Digital Slope Walker (Imported from USA)

- * 根据美国残疾人法案设计，已经在美国一些纪念馆、国民公园、住房和开发区证实使用
Designed for American Disabilities Act Application, already proven in USA memorial, national park, housing and development
- * 带手柄设计，方便操作者检查地面角度，降低劳动强度
Handle saves operator's back and knees
- * 测量坡道整个或部分的表面斜度；水平尺两个底脚的宽度与轮椅路面接触点的宽度一致；可以读出倾斜百分比率、倾斜度数、倾斜率英寸/英尺
Measure slope across and entire surface or parts of surface; Feet are the width of a wheelchair pavement contact point; Readout in % slope or degrees or in/ft rise over run
- * 方便残疾人使用，水平和垂直精确度可达0.1度，其他任意角度精确度可达0.2%
Designed so people with or without disabilities can use it; Accuracy to 0.1° at level and 90°, 0.2% all other angles

编号Item No. : 9104
尺寸Size: 420mm (16-1/2")x102mm (4")x760mm (30")





索引

* 镁合金平头大抹子叶片	3	* 蓝钢收光大抹子叶片+涡轮支架	12	* 高碳钢方头砌砖刀	22	* 地坪专用镁鞋	31
* 镁合金平头大抹子叶片+涡轮支架	3	* 蓝钢收光大抹子叶片+球头接支架	13	* 高碳钢尖头砌砖刀	23	* 消泡滚筒	31
* 镁合金平头大抹子叶片+球头接支架	3	* 蓝钢收光大抹子叶片+通用支架	13	* 带齿砌砖刀	23	* 钢丝消泡滚筒	31
* 镁合金平头大抹子叶片+通用支架	3	* 蓝钢收光大抹子叶片套装	13	* 不锈钢弧角抹子	23	* 混凝土毛刷	32
* 镁合金平头大抹子套装	4	* 混凝土路面防滑槽大抹子	13	* 不锈钢半圆抹子	23	* 铝合金毛刷	32
* 3M镁合金平头大抹子套装	4	* 养殖场防滑槽大抹子	14	* 蓝钢楼梯抹子	23	* 石板毛刷	32
* 镁合金圆头大抹子叶片	4	* 超级塑料大抹子叶片	14	* 高碳钢墙角抹子	23	* 铝合金拉毛刷	32
* 镁合金圆头大抹子叶片+涡轮支架	4	* 超级塑料大抹子套装	14	* 树脂抹子	24	* 钢制混凝土斗和支架	33
* 镁合金圆头大抹子叶片+球头接支架	5	* 塑料手工抹子	15	* 聚氨酯抹泥板	24	* 钢制混凝土斗	33
* 镁合金圆头大抹子叶片+通用支架	5	* 涡轮支架	15	* 混凝土砂浆铝托盘	24	* 可叉钢制混凝土斗	33
* 镁合金圆头大抹子叶片套装	5	* 球头接支架	15	* 不锈钢切缝器	24	* 钢制可调节大象砖夹	33
* 镁合金槽型抹子叶片	5	* 钢丝绳支架	15	* 长手柄不锈钢切缝器	25	* 砖缝勾缝器	34
* 镁合金槽型抹子叶片+蜗轮支架	6	* 链条支架	15	* 带刃抹子	25	* 砖缝清理耙	34
* 镁合金槽型抹子叶片+球头接支架	6	* 通用带螺纹支架	15	* 蓝钢混凝土修边器	25	* 自流平平面刮刀	34
* 镁合金槽型抹子叶片+通用支架	6	* 通用支架	15	* 长手柄混凝土修边器	25	* 自流平带齿刮刀	34
* 镁合金槽型抹子叶片套装	6	* 铝合金缩管手柄	16	* 铝合金刮尺	26	* 地坪/墙面圆角刮刀	35
* 新镁合金槽型抹子叶片	7	* 带公母接头铝合金手柄	16	* 带齿铝合金刮尺	26	* 自流平带齿刮刀（木柄）	35
* 新镁合金槽型抹子套装	7	* 铝合金刮平尺（立尺）	16	* 镁合金H型刮尺	26	* 地刮器	35
* 铝合金平头大抹子叶片	8	* 镁合金刮平尺（立尺）	16	* 登高器	27	* 推水器	35
* 铝合金平头大抹子叶片+涡轮支架	8	* 镁合金刮平尺（横尺）	17	* 磨块	27	* 护膝类	36-37
* 铝合金平头大抹子叶片+球头接支架	8	* 新型镁合金刮尺	17	* 裱花袋	27	* 不锈钢护膝板	38
* 铝合金平头大抹子叶片+通用支架	8	* 6M镁合金刮尺	17	* 地坪专用雪橇推耙	27	* 塑料护膝板	38
* 铝合金平头大抹子叶片套装	9	* 混凝土超平刮尺	18	* 混凝土滚压筒	28	* 铝合金锹	38
* 铝合金圆头大抹子叶片	9	* 双手柄砂浆摊铺器	18	* 混凝土全铝合金耙	28	* 压花模具类	39
* 铝合金圆头大抹子叶片+涡轮支架	9	* 振动尺尺体	18	* 超宽铝合金耙子	28	* 铸铁夯	40
* 铝合金圆头大抹子叶片+球头接支架	9	* 连接接头	19	* 重型带齿铝耙	28	* 聚氨酯铁夯	40
* 铝合金圆头大抹子叶片+通用支架	10	* 镁合金靠尺	19	* 重型平头铁耙	28	* 重型铲刀	40
* 铝合金圆头大抹子叶片套装	10	* 镁合金手工抹子	19	* 金色/蓝色/红色氧化铝耙	29	* 沥青桶	40
* 铝合金筒易大抹子	10	* 镁合金圆头手工抹子	20	* 双面铁耙	29	* 自流平砂浆搅拌机	41
* 锰钢圆头收光大抹子叶片	10	* 镁合金锥形手工抹子	20	* 轻型双面铝耙	29	* 搅拌机/双头搅拌机	41
* 锰钢圆头收光大抹子叶片+蜗轮支架	11	* 镁合金手工抹子	20	* 重型平头铝耙	29	* 蓝钢拉毛刷	42
* 锰钢圆头收光大抹子叶片+球头接支架	11	* 高碳钢方头抹泥刀	21	* 超宽带齿铝合金耙（钝齿）	30	* 锻造砌砖刀	42
* 锰钢圆头收光大抹子叶片+通用支架	11	* 高碳钢圆头抹泥刀	21	* 镁合金沥青耙	30	* 雕刻刀	42
* 锰钢圆头收光大抹子叶片+螺纹支架	11	* 高碳钢抹泥刀（前圆后方）	21	* 铲刀	30	* 假山雕刻用毛刷	42
* 锰钢圆头收光大抹子套装	12	* 带齿抹泥刀	21	* 钢耙	30	* 高碳钢圆头抹泥刀（木柄）	42
* 收光拉毛一体套装	12	* 尖头抹泥刀	22	* 钉鞋	31	* 电子水平尺	43
* 蓝钢收光大抹子叶片	12	* 不锈钢墙角抹泥刀	22	* 地坪专用铝鞋	31		